PIONEER The Art of Entertainment TOYOTA

Service Manual


ORDER NO. CRT1615

The chapter 1 of this Service Manual will not be reprinted. On your additional orders, we may supply only the chapter 2. For the chapter 1, please make copies and attach to the chapter 2 at your side if necessary.

© LEXUS LS400 AUDIO SYSTEM HEAD UNIT

VEHICLE	DESTINATION	PRODUCED AFTER	TOYOTA PART No.	PIONEER MODEL No.
	U.S.A., CANADA		86120-50360	KEX-P8156ZT/UC
	EUROPE		86120-50390	KEX-P8156ZT/EW
LEXUS	UNITED KINGDOM	November 1994	86120-50380	KEX-P8256ZT/EW
LS400	AUSTRALIA		86120-50410	KEX-P8256ZT/AU
	HONG KONG	† 	86120-50420	KEX-P8256ZT/ES
	MIDDLE EAST		86120-50400	KEX-P8156ZT/ES

CHAPTER 1



- Dolby noise reduction manufactured under license from Dolby Laboratories Licensing Corporation. "Dolby" and the double-D symbol are trademarks of Dolby Laboratories Licensing Corporation.
- See the separate manual CX-529 (CRT1507) for the cassette mechanism description.
- The cassette mechanism employed in this model is one of 1L mechanism series.

These models have been installed in LEXUS LS400.

Model	Supplementary Model	Part No.	ID No.	
KEX-P8256ZT/EW KEX-P8256ZT-91/EW		86120-50380	P3703	
KEX-P8256ZT/AU	KEX-P8256ZT-91/AU	86120-50410	P2702	
KEX-P8256ZT/ES	KEX-P8256ZT-91/ES	86120-50420	P2704	
KEX-P8156ZT/EW	KEX-P8156ZT-91/EW	86120-50390	P3702	
KEX-P8156ZT/UC	KEX-P8156ZT-91/UC	86120-50360	P1703	
KEX-P8156ZT/ES KEX-P8156ZT-91/ES		86120-50400	P7505	

These models are used in combination with following models.

Head Unit	Amplifier	CD Multi Player	Rear Controller
KEX-P8256ZT/EW			
KEX-P8256ZT/AU	GM-8256ZT/WL		
KEX-P8256ZT/ES		CDX-P8056ZT/WL	CD-R82ZT/WL
KEX-P8156ZT/EW			a management of
KEX-P8156ZT/UC	GM-8056ZT/E		
KEX-P8156ZT/ES			

Supplementary model is identical to the original model except for the addition of following items.

Description	Part No.	
Polyethylene Bag	CEG1026	
Carton	CHA2025	
Contain Box	CHD2025	
Protector	CHP1678	
Protector	CHP1679	

CONTENTS

CHAPTER 1

1. SPECIFICATIONS	1-4
2. SYSTEM BLOCK DIAGRAM	1-5
3. DISASSEMBLY	1-6
4. ANTI-THEFT SECURITY SYSTEM	1-7
5. GENERAL GUIDE	1-11
6. ERROR NUMBERS	1-13
7. CONNECTOR FUNCTION DESCRIPTION	1-14
8. ADJUSTMENT	1-14
9. EXPLODED VIEW PARTS LIST	1-27
10. ELECTRICAL PARTS LIST	1-32

CHAPTER 2
1. EXPLODED VIEW2-
2. BLOCK DIAGRAM2-
3. OVER ALL SCHEMATIC CIRCUIT DIAGRAM2-1
4. CIRCUIT DIAGRAM AND PATTERN
4.1 CONTROL P.C.BOARD
(KEX-P8256ZT/EW,KEX-P8156ZT/EW)2-1
4.2 CONTROL P.C.BOARD(KEX-P8156ZT/UC)2-1
4.3 CONTROL P.C.BOARD(KEX-P8256ZT/AU)2-2
4.4 CONTROL P.C.BOARD(KEX-P8256ZT/ES)2-2
4.5 CONTROL P.C.BOARD(KEX-P8156ZT/ES)2-3
4.6 TUNER P.C.BOARD
(KEX-P8256ZT/EW,KEX-P8156ZT/EW)2-3
4.7 TUNER P.C.BOARD(KEX-P8156ZT/UC)2-4
4.8 TUNER P.C.BOARD(KEX-P8256ZT/AU)2-4
4.9 TUNER P.C.BOARD(KEX-P8256ZT/ES)2-5
4.10 TUNER P.C.BOARD(KEX-P8156ZT/ES)2-5
4.11 LCD UNIT2-5
4.12 KEY BOARD UNIT2-6

4.13 AM NOISE CANCELLER UNIT	2-69
4.14 FM UNIT	
(KEX-P8256ZT/EW,KEX-P8156ZT/EW)	2-71
4.15 FM UNIT(KEX-P8156ZT/UC)	2-73
4.16 FM UNIT	
(KEX-P8256ZT/AU,ES,KEX-P8156ZT/ES)	2-76
4.17 AM UNIT	
(KEX-P8256ZT/EW,KEX-P8156ZT/EW)	2-78
4.18 AM UNIT(KEX-P8156ZT/UC)	2-81
4.19 AM UNIT(KEX-P8256ZT/AU)	2-83
4.20 AM UNIT(KEX-P8256ZT/ES)	2-86
4.21 MW/SW UNIT(KEX-P8156ZT/ES)	2-88
4.22 AM STEREO UNIT(KEX-P8256ZT/AU)	2-91
4.23 CASSETTE MECHANISM MODULE	
(KEX-P8156ZT/UC,ES)	2-94
4.24 CASSETTE MECHANISM MODULE	
(KEX-P8256ZT/EW,AU,ES,KEX-P8156ZT/EV	V)
	2-97

1. SPECIFICATIONS

General
Power source 13.2 V(10.5V—16.0V allowable)
Grounding systemNegative type
Dimensions(chassis)
(nose)
Weight
Preout output level7 dBs ± 4dB
Tone controls (bass)±9 dB ± 3dB (125 Hz)
(mid) \pm 10 dB \pm 3dB (1 kHz)
(treble) \pm 10 dB \pm 3dB (10 kHz)
Loudness contour2 dB ± 1 dB (125 Hz / 1 kHz)(MAX-30dB)
2.5 dB ± 1 dB (10k Hz / 1 kHz)(MAX-30dB)
Tape player
Tape Compact cassette tape (C-30—C-90)
Tape speed 4.76 cm/sec.(+0.14 cm/sec.,-0.05 cm/sec.)
Wow & flutterless than 0.2 %(WRMS)
Fast forward/rewind timeless than 120 sec. for C-60
Stereo separation more than 35 dB
Signal-to-noise ratio more than 41 dB
FM(UKW) tuner
Frequency range(EW, AU, ES)
(UC)
Usable sensitivity
Cincil to point ratio
Signal-to-noise ratiomore than 55 dB
Distortionless than 3.0% (65 dBf, 1 kHz, stereo)
Stereo separation more than 25 dB (65 dBf, 1 kHz)
MW tuner
Frequency range(EW, AU, ES) 531 — 1,602 kHz
(UC)
Usable sensitivity(EW, UC, ES)27 dBµ± 5dB (S/N: 20 dB)
(AU)

$ \begin{array}{llllllllllllllllllllllllllllllllllll$
$ \begin{array}{llllllllllllllllllllllllllllllllllll$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$ \begin{array}{llllllllllllllllllllllllllllllllllll$

2. SYSTEM BLOCK DIAGRAM




Fig.1

3. DISASSEMBLY

Removing the Case(not shown)

1.Remove the eight screws, and then remove the case.

Removing the Grille Assy(Fig.2)

- 1.Remove the two screws.
- 2.Disconnect the connector.
- 3.Disconnect the four stoppers indicated by arrows, and then remove the grille assy.




Fig.2

Removing the Tuner P.C.Board

1.Remove the tuner P.C.board indicated by arrow.

Removing the Cassette Mechanism Module

- 1.Remove the four screws.
- 2.Disconnect the connector.
- 3.Remove the cassette mechanism module.




Fig.4

Removing the Control P.C.Board

1.Remove the three screws, and then remove the control P.C.board.




Fig.3




Fig.5

4. ANTI-THEFT SECURITY SYSTEM

4.1 HOW TO INPUT THE THREE DIGIT SECURITY SYSTEM CODE

1. ACCESS MODE

First...

BE SURE THAT:

- . the radio unit is turned off
- the ignition switch is in "ACC"

Then...

HOLD the "1" and "6" buttons, and simultaneously PUSH and HOLD the "POWER. VOL" knob in, until "SEC" appears, then release buttons.




Fig.6

2. READY MODE

PRESS and HOLD the "TUNE[△]" button in and PRESS the "1" button. The display will read "▲▼---".




Fig.7

3. INPUT MODE

Note: User has up to ten seconds to input each digit.

Now you're ready to input a three digit Identification number.

To set the first ID digit:

 PRESS "1" repeatedly until the desired number appears on the display

To set the second ID digit:

 PRESS "2" repeatedly until the desired number appears on the display

To set the third ID digit:

 PRESS "3" repeatedly until the final desired number appears on the display

EXAMPLE: If the desired ID number is 314, you'd press "1" four times, press "2" twice, and press "3" five times. (Code digit range zero through nine.)




Fig.8

4. SET MODE

With the ID number now appearing on the display:

 PRESS the "SCAN" button and HOLD it in until "SEC" appears for a few seconds, then it will GO DARK.

NOTE: 1) CREATE AN ID NUMBER EASY TO REMEMBER.

- 2) KEEP ID NUMBER IN A RELIABLE PLACE.
- 3) DON'T LEAVE ID NUMBER IN THE VEHICLE!




Fig.9

4.2 HOW TO CHANGE THE THREE DIGIT SECURITY SYSTEM CODE

1. ACCESS MODE

First...

BE SURE THAT:

- · the radio unit is turned off
- the ignition switch is in "ACC"

Then...

HOLD the "1" and "6" buttons, and simultaneously PUSH and HOLD the "POWER. VOL" knob in, until "SEC" appears, then release buttons.





Fig. 10


2. READY MODE

PRESS and HOLD the "TUNE [△]" button in and PRESS the "1" button. The display will read "▲▼---".



3. INPUT MODE


Input existing three digit ID numbers.



4. SET MODE


Then, push "SCAN". The display will now read "---" continuously.

*("Err" See "ERROR MESSAGE")




5. READY MODE

PUSH "TUNE [△]" and "1" simultaneously. The display will read "▲▼---".



6. INPUT MODE


Now you're ready to input a new three digit ID number.



7. SET MODE

With the ID number now appearing on the display:

 PRESS the "SCAN" button and HOLD it in until "SEC" appears for a few seconds, then it will GO DARK.



4.3 HOW TO CLEAR THE SECURITY CODE

1. ACCESS MODE

First...

BE SURE THAT:

- the radio unit is turned off
- the ignition switch is in "ACC"

Then...

HOLD the "1" and "6" buttons, and simultaneously PUSH and HOLD the "POWER. VOL" knob in, until "SEC" appears, then release buttons.




Fig.17

2. READY MODE

PRESS and HOLD the "TUNE [∧]" button in and PRESS the "1" button. The display will read "▲▼---".




Fig.18

3. INPUT MODE

Input existing three digit ID numbers.




Fig.19

4. SET MODE

Then, push "SCAN". The display will now read "---" continuously.

*("Err" See "ERROR MESSAGE")




Fig.20

- 5. WAIT for ten seconds. The security system clears itself and the display will GO DARK.
 - *(The security code should be cleared when the vehicle is resold.)




Fig.21

4.4 HOW TO REACTIVATE A DISABLED ETR

 If the power is disconnected by an attempted theft or loss of battery power, the display will read "SEC" continuously when the key is "on". Also, when the ignition key is turned to ACC, none of the ETR functions will function.

2. READY MODE

PRESS and HOLD the "TUNE [△]" button in and PRESS the "1" button. The display will read "▲▼---".

3. INPUT MODE

Now you're ready to input the existing three digit Identification number.

To set the first ID digit:

 PRESS "1" repeatedly until the desired number appears on the display

To set the second ID digit:

 PRESS "2" repeatedly until the desired number appears on the display

To set the third ID digit:

 PRESS "3" repeatedly until the final desired number appears on the display

EXAMPLE: If the desired ID number is 314, you'd press "1" four times, press "2" twice, and press "3" five times. (Code digit range zero through nine.) **Note:** User has up to ten seconds to input each digit.

4. SET MODE

With the ID number now appearing on the display:


 PRESS the "SCAN" button and HOLD it in until "SEC" appears for a few seconds, then it will GO DARK.

ERROR MESSAGE

If the wrong buttons are pushed, "Err" will appear before "SEC" appears. Go back to Step 2 and try again. Or, if the display returns to "AV---" during your input, try again from Step 3. BUT:

BE CAREFUL! On the tenth wrong input, the ETR unit goes dead and must be reactivated by an authorized service station.

TO VERIFY that the ID number has been accepted as the security code, turn the key "off", then turn it back on, "SEC" should appear. Once the anti-theft system is properly set, "SEC" will appear on the display each time the ignition key is turned to "ACC" after being off.






Fig.25

5. GENERAL GUIDE




Fig.26

5.2 TAPE(KEX-P8256ZT/AU)






Fig.27

5.3 RADIO(KEX-P8256ZT/EW)



5.4 CD(KEX-P8256ZT/EW)



6. ERROR NUMBERS

Indicating An Error Number

If the CD should fail to operate in CD multi player or if an error has taken place during the operation and resulted in an error, the player will enter into the error mode. And the cause of such error is numerically indicated. This is armed at assisting an analysis or repair.


- 1) Basic Means of Display
 - With ERROR indicated in "MODE" on IP-BUS Display date, an error code is transmitted by the use of MIN and SEC. Identical date are transmitted with MIN and SEC.
 - Examples of Display ERR XX


2) Error Codes


Error Co	des		
Error Code	Classification	Description	Detail / Cause
22	ELECTRIC	Carriage home failure	Unmovable to and from the inner circumference → Home switch failed and / or carriage improper moved
21	ELECTRIC	Focus failure	Focussing failed → Disc scarred or stained on the back or vibrating hard
25	ELECTRIC	SETUP failure	Spindle failed to lock or subcode extraordinary → Spindle defective, disc scarred or stained or vibrating hard
23	ELECTRIC	Blank Disc	Unrecorded CD-R The disc has been in inserted upside down
24	ELECTRIC	Search time out	Target address failed to reach → Carriage / tracking improperly and / or disc scarred
14	SYSTEM / MECHANISM	Power failure	Mechanism drive power supply VM short sense or no power supply → Switching transistor defective and / or power abnormal or LOAD terminal failure
12	MECHANISM	An error upon ejection	MAG SW release time has time out Elevation time out when eject
13	MECHANISM	An error while putting in and out the tray	Tray in / out time has time out Tray is caught when put in
11	MECHANISM	An error upon elevation	Elevation time has time out
16	MECHANISM	An error with an empty magazine inserted	No disc is available

^{*} Setup means a series of operations after focusing up to sound output.

7. CONNECTOR FUNCTION DESCRIPTION










Fig.30

8. ADJUSTMENT

8.1 TEST MODE


Test mode is mainly used adjustment of CDX-P8056ZT/WL.

- · Switching to test mode
 - While pressing the POWER, TRACK UP keys together, switch the back up and ACC ON.
- · Canceling test mode
 - Switch the CD multi-player and this model back up and ACC OFF.

a) CD multi-player

	Function
SCAN	Regulator ON/OFF
FAST UP	FWD kick
TRACK UP	REV kick
TRACK DOWN	Tracking close
DISC UP	Tracking open
RPT	Focus close
RANDOM	Disc number up

Flow Chart



8.2 TUNER / AUDIO SECTION NOTE: Select C1 so that total capacity of,80pF is attained from Connection Diagram the direction of the receiver jack. Z: Output impedance of SSG. DC Regulated Power Supply GND GM-8256ZT/E or GM-8056ZT/WL mV Meter (1) Oscilloscope (1) ≹ 4Ω Distortion Meter Dummy Antenna 15pF 1 | - W-1 | 80Ω-Z AM SSG Dummy Antenna 50Ω(37.5Ω) Stereo Modulator FM SSG 50Ω (75Ω) Main Antenna Jack TUNER P.C.BOARD AM UNIT DC V Meter(3) VR650 IC601 FM UNIT IC602 Meter FM UNIT AM(MW/SW) UNIT T203 T204 VR201 VR51 FM FRONT END VR101 VR102 VR202 1206 **●** T51 VR103 CN2 CN202 **©** CN201 **№** T52 CN1 DC 5V S1 DC V Meter(2) DC V Meter(1) Pin2 Pin3 Pin3 Pin₁₀ Pin4 **DECK UNIT** Oscillo-scope (2) VR301(L) VR302(R) Pin 3(L) Pin 2(R) Meter(2) Pin 1(GND) Fig.31

AM(MW/SW) ADJUSTMENT(KEX-P8156ZT/EW, KEX-P8256ZT/EW, ES)

		AM SSG(40	0Hz,30%)	Displayed	Adjustment	
	No.	Frequency(kHz)		Frequency(kHz)		Adjustment Method
Track- ing	1	999	15		T204,T205,	(Switch Position) mV Meter(1) : Maximum
SEEK (DX)	1	999	30	999	T206 VR201	Oscilloscope(2): 40 ± 20 mVpp
SEEK LOC)	1	999	50	999	VR202	(SEEK ON) Oscilloscope(2): 40 ± 20 mVpp (S1 ON)

AM ADJUSTMENT(KEX-P8156ZT/UC)

		AM SSG(40	AM SSG(400Hz,30%)		Adjustment	Adiustra
	No.	Frequency(kHz)	Level(dB µ)	Displayed Frequency(kHz)		Adjustment Method (Switch Position)
Frack- ng	1	1,000	15	1,000	T204,T205,	mV Meter(1) : Maximum
SEEK DX)	1	1,000	40	1,000	T206 VR201	Oscilloscope(2): 40 ± 20 mVpp

AM ADJUSTMENT(KEX-P8256ZT/AU)

		AM SSG(400Hz,30%)		Displayed	Adjustment	Adima
	No.	Frequency(kHz)	Level(dB µ)	Frequency(kHz)		Adjustment Method
Tuning- Volt	1	-	-	1,602	T203	(Switch Position) DC V Meter(2): 6.5 ± 0.1V
Track- ing	1	999	15	999	T204,T205,	mV Meter(1) : Maximum
SEEK (DX)	1	999	30	999	T206 VR201	Oscilloscope(2): 40 ± 20 mVpp (SEEK ON)
SEEK (LOC)	1	999	50	999	VR202	Oscilloscope(2): 40 ± 20 mVpp (S1 ON)

AM/SW ADJUSTMENT(KEX-P8156ZT/ES)

		AM SSG(400Hz,30%)		Displayed	Adjustment	Adjustment Method
	No.	Frequency(kHz)	Level(dB μ)	Frequency(kHz)		
Tuning- Volt	1	-	_	21,975	T203	(Switch Position) DC V Meter(2): 6.0 ± 0.1V
Track- ing	1	999	15	999	T204,T205, T206	mV Meter(1) : Maximum
SEEK (DX)	1	999	30	999	VR201	Oscilloscope(2): 40 ± 20 mVpp
SEEK (LOC)	1	999	50	999	VR202	(SEEK ON) Oscilloscope(2): 40 ± 20 mVpp (S1 ON)

FM(UKW) ADJUSTMENT(KEX-P8156ZT/EW, KEX-P8256ZT/EW)

Modulation M1:MONO MOD., 400Hz 30%(22.5kHz Dev.)

M2:MONO MOD., 400Hz 100%(75kHz Dev.)

S1:STEREO MOD., 1kHz, L or R=30%(20.25kHz+7.5kHz Dev.) S2:STEREO MOD., 1kHz, L or R=90%(60.75kHz+7.5kHz Dev.)

		FM S	SSG	Displayed	Adjustment	Adjustment Method	
	No.	Frequency(MHz)	Level(dBf)	Frequency(MHz)	Point	(Switch Position)	
IF	1	98.1 M2	65	98.1	T51	Center Meter: 0	
	2	98.1 M2	65	98.1	T52	Distortion Meter : minimum	
	3	Repeat No.1-2	alternately so the	at the center mete	er indicates the	0 output and distortion meter	
		indicates the m	inimum output.				
	4	98.1 S2	65	98.1	T71	Distortion Meter : minimum	
Max.	1	98.1 M1	65	98.1		mV Meter(1): A	
Mute	2	98.1 M1	-00	98.1	VR102	mV Meter(1): A-20dB	
ARC	1	98.1 S1	39	98.1	VR101	mV Meter(1): Separation 5dB	
Sepa- ration	2	98.1 S1	65	98.1	VR103	mV Meter(1) : Separation Maximum	
1000	3	98.1 S1	39	98.1	VR101	mV Meter(1): Separation 5dB	
SD	1	98.1 M1	27 ± 1	98.1	VR51	DC V Meter(1): Approx. 5V (SEEK ON)	
LOC.H	1	98.1 M1	25 ± 1	98.1	VR1	DC V Meter(1): Approx. 5V (S2 ON, SEEK ON)	

FM ADJUSTMENT(KEX-P8156ZT/UC)

		FM SSG		Displayed /	Adjustment	Adjustment Method
•	No.	Frequency(MHz)	Level(dBf).	Frequency(MHz)	Point	(Switch Position)
IF .	1	98.1 M2	65	98.1	T51	Center Meter: 0
	2	98.1 M2	65	98.1	T52	Distortion Meter: minimum
	3	Repeat No.1-2			er indicates the	0 output and distortion meter
Max.	1	98.1 M1	65	98.1	_	mV Meter(1) : A
Mute	2	98.1 M1		98.1	VR102	mV Meter(1): A-20dB
ARC	1	98.1 S1	39	98.1	VR101	mV Meter(1): Separation 5dB
Separ-	2	98.1 S1	65	98.1	VR103	mV Meter(1) : Separation Maximum
ation	3	98.1 S1	39	98.1	VR101	mV Meter(1): Separation 5dB
SD	1	98.1 M1	33 ± 1	98.1	VR51	DC V Meter(1): Approx. 5V (SEEK ON)

FM ADJUSTMENT(KEX-P8156ZT/ES, KEX-P8256ZT/AU, ES)

		FM SSG		Displayed	Adjustment	Adjustment Method
	No.	Frequency(MHz)	Level(dBf)	Frequency(MHz)	Point	(Switch Position)
IF	1	98.1 M2	65	98.1	T51	Center Meter: 0
Max.	1	98.1 M1	65	98.1	_	mV Meter(1): A
Mute	2	98.1 M1		98.1	VR102	mV Meter(1): A-20dB
ARC	1	98.1 S1	39	98.1	VR101	mV Meter(1): Separation 5dB
Separation	2	98.1 S1	65	98.1	VR103	mV Meter(1) : Separation Maximum
	3	98.1 S1	39	98.1	VR101	mV Meter(1): Separation 5dB
SD	1	98.1 M1	27 ± 1	98.1	VR51	DC V Meter(1) : Approx. 5V (SEEK ON)
LOC.H ATT.	1	98.1 M1	25 ± 1	98.1	VR1	DC V Meter(1): Approx. 5V (S2 ON, SEEK ON)

RDS SL ADJUSTMENT(KEX-P8156ZT/EW, KEX-P8256ZT/EW)

	FM S	FM SSG		Adjustment	Adjustment Method
No.	Frequency(MHz)	Level(dBf)	Frequency(MHz)	Point-	(Switch Position)
1	98.1 M1	50	98.1	VR650	DC V Meter(3): 2.3V ± 0.1V

DOLBY B/C NR ADJUSTMENT(KEX-P8156ZT/UC,ES)

No.	Test Tape	Adjustment Point	Adjustment Method
			(Switch Position)
1	NCT-150(400Hz,200nwb/m)	VR301(Lch), VR302(Rch)	mV Meter(2) : -8.24dBs + 1.5dB
			-0.5dB
			(DOLBY NR Switch : OFF)

DOLBY B NR ADJUSTMENT(KEX-P8156ZT/EW, KEX-P8256ZT/EW, AU. ES)

No.	Test Tape	Adjustment Point	Adjustment Method (Switch Position)
1	NCT-150(400Hz,200nwb/m)	VR301(Lch),VR302(Rch)	mV Meter(2): -8.24dBs ± 1dB (DOLBY NR Switch: OFF)

JIGS


oldo	1		
Product	Extension cable	External harness	Necessary products for repair
KEX-P8156ZT/EW	24P Extension cable	System harness	GM-8056ZT/E or
KEX-P8256ZT/EW	GGD1070	GGD1074	GM-8256ZT/WL
KEX-P8156ZT/UC	14P Extension cable	Speaker harness	
KEX-P8256ZT/AU	GGD1071(×2)	GGD1076	·
KEX-P8156ZT/ES	9P Extension cable		
KEX-P8256ZT/ES	GGD1072		
	Extension cable for		
	mechanism module		
	GGD1019		

) ICs

Pin Functions (LC72140M)

Pin No.	Pin Name	1/0	Output Format	Function and Operation
1	XOUT	0	1 Offiles	Crystal oscillating element connection pin
2	PCE	1		Chip enable input from system control IC
3	PDO	0	С	Data output for system control IC
4	PCK	1		Serial clock output from system control IC
5	PDI	1		Data input from system control IC
6	SEEK	0	С	Seek output
7	MW/SW	0	С	MW/SW select output (KEX-P8156ZT/ES)
8	LOCL	0	С	LOC L output
9	LOCH	0	С	LOC H output
10	MONO	0	С	Forced mono output
11	MW/LW	0		MW / LW loop filter select output (KEX-P8156ZT/EW,P8256ZT/EW)
	SWL/H	0		SW low band / high band select output (KEX-P8156ZT/ES)
12	ST	I		FM stereo input
13	AMIFIN			AM IF signal input
14	RDS	1 1		RDS LK signal input
15	VDD			Power supply
16	AMVCO	1		AM VCO input
17	FMVCO			FM VCO input
18	GND			GND
19	EO1	0	С	PLL error output 1
20	EO0	0	С	PLL error output 0
21,22	NC			Not used
23	GND			GND
24	XOUT	0		Crystal oscillating element connection pin


*LC72140M




IC's marked by* are MOS type. Be careful in handing them because they are very liable to be damaged by electrostatic induction.

Output Format	Meaning
С	C MOS output

PA4021A






Pin Functions (PD0179B)

Pin No.	Pin Name	1/0	Output Format	Function and Operation		
1	RDSEN	1		Enable input from system control IC		
2	RDSCK	1		Serial clock input from system control IC		
3-6	RDSDT7-4	1/0	С	Data input/output to system control IC		
7–15	NC			Not used		
16	RDSSEL			Select input from system control IC		
17	TUNSEL	1		FM/AM tuner unit select input		
18,19	NC			Not used		
20	CNVSS			GND		
21	RDSRST			Reset input from system control IC		
22	XIN	1		Crystal oscillating element connection pin		
23	XOUT	0		Crystal oscillating element connection pin		
24	NC			Not used		
25	VSS			GND		
26	SCHK	1		Software check input		
27-31	NC			Not used		
32	RCK	1		RDS demodulation clock input		
33	RDT	ı		RDS demodulation data input		
34-45	NC			Not used		
46	DRST	0	C	Decoder reset output		
47	SD			SD input		
48	SK	1		SK signal input		
49	RDSLK	I		RDS LK signal input		
50	DK			DK signal input		
51	ERROR	0	С	Disapprove of error correction output		
52	CORR	0	С	Error output		
53	RECIVE	0	С	During RDS data reception output		
54-56	NC			Not used		
57	FZOUT	0	С	Fuzzy control output		
58	VCC			5V		
59	NC			Not used		
60	FZIN			Fuzzy level input		
61	SL	1		Signal level from tuner		
62,63	NC			Not used		
64	RDSRDY	0	С	Ready output for system control IC		






Output Format	Meaning
C	C MOS output

Pin No.	Pin Name	1/0	Output Format	Function and Operation
1	FAD	1	TOTTIAL	A/D converter input from FADER volume
2	MAIN	Ti		A/D converter input from MAIN volume
_	VOL-	Ti		Volume down input form encoder
3	VOL+	Ti		Volume up input from encoder
4	AVSS	<u> </u>	 	GND
5	VOUT	0	C	Volume output
6	PCE	0	C	Chip enable output for PLL IC
7	AVREF1	1		A/D converter reference voltage
8	PDI			Data input from PLL IC
9	PDO	Ö	С	Data output for PLL IC
10	PCK	Ö	C	Serial clock output for PLL IC
11	EDI	1	 	Data input from EP ROM
12	EXDT	Ö	C	Data input from EF ROW Data output for external IC
13	EXCK	0	C	Clock output for external IC
14	LCEO	0	C	
15	LCE1	0	C	Chip enable output pin for LCD driver 0
16	LINH	0	C	Chip enable output pin for LCD driver 1
17,18	NC	 	-	Inhibit output for LCD driver Not used
17,18		10	-	
20-25	ECE KST0-5	0	C	Chip enable output for EP-ROM
		0	<u> </u>	Key strobe output
26	NC KD2		-	Not used
27–30	KD0-KD3			Key return input
31	MSIN	1		Cassette mechanism MS sense input
32	F/R	0	C	Cassette mechanism head forward/reverse select output
33	VSS			GND
34	PLAY	0	C	Music search gain select output
35	MTL			Cassette mechanism tape select input
36	LOAD	0	С	Loading motor LOAD control
37	POS			Cassette mechanism position sense input
38	RES			Cassette mechanism reverse end sense input
39	NES	1		Cassette mechanism forward end sense input
40	SC2	0	C ·	Cassette mechanism sub motor control output
41	SC1	0	С	Cassette mechanism sub motor control output
42	CM	0	С	Cassette mechanism capstan motor control output
43	STBY	0	C	Cassette mechanism driver stand-by output
44	TAPPWR	0	С	Tape +B ON/OFF output
45	PEE	0	C	Beep tone output
46	NC			Not used
47	VST	0	C	Strobe pulse output for electronic volume
48	VCK	0	C	Clock output for electronic volume
49	VDT	0	С	Data output for electronic volume
50	SYSMUT	0	С	System mute output
51	SYSPW	0	С	System power supply control output
52	TUNMUT	0	С	Tuner mute output
53	SWVDD	0	C	Key board unit power supply control output
54	NC .	1		Not used
55	IPPWR	0	С	Power supply control output for IP BUS interface IC
56	IPDO	Ö	č	Data output for IP BUS interface IC
57	IPDI	i	_	Data input from IP BUS interface IC
58,59	NC	 		Not used
60	RESET	1		Reset input
61	SD	i		Station detector signal input
62	ASEN			
63	ISEN			ACC power sense input
64	BSEN			Illumination power supply sense input Back up power sense input
			1	

Pin No.	Pin Name	1/0	Output Format	Function and Operation
66 EXLD O C Load output for external IC		Load output for external IC		
67	EJECT	1		Eject key input pin
68	VDD :			Power supply
69,70	X2,X1			Crystal oscillating element connection pin
71	IC			Not used
72	XT2			Not used
73	TLMT	1		Telephone mute input
74	AVDD			Power supply
75	AVREF0	1		A/D converter reference voltage
76	SL	1		Signal level input from tuner
77	BASS	1		A/D converter input from BASS volume
78	MID	1		A/D converter input from MID volume
79	TRE	1		A/D converter input from TREBLE volume
80	BAL			A/D converter input from BALANCE volume

*PD4495C




Output Format	Meaning
С	C MOS output

Pin Functions (MB88306PF)

Pin No.	Pin Name	1/0	Output Format	Function and Operation		
1	SO	0	C	Serial data output		
2	LOAD	1		Loading motor LOAD control input		
3	LCDBL	0	С	LCD back light ON/OFF select output		
4	ILM	0	С	Illumination ON/OFF select output		
5	NR	0	С	Dolby NR ON/OFF select output		
6	B/C	0	С	Dolby NR B/C select input		
7	EXCK	1		External clock input		
8	VSS			GND		
9	EXCE	I		Chip enable input		
10	FM/AM	0	С	FM/AM power select output		
11	ANTB	0	С	Auto antenna +B control output		
12	ANT0	0	C	Auto antenna control output 0		
13	ANT1	0	C	Auto antenna control output 1		
14	EXDT			Data input		
15	RST			Reset signal input		
16	VDD			Power supply		

*MB88306PF




Output Format	Meaning			
С	C MOS output			

Pin Functions (PD4496B)

Pin No.	Pin Name	1/0	Output Format	Function and Operation		
1	FAD			A/D converter input from FADER volume		
2	MAIN			A/D converter input from MAIN volume		
3	FREQ	1		PS(Program Service Name) display select input		
4	AVSS			GND		
5	VOUT	0	С	Volume output		
6	PCE	0	C	Chip enable output for PLL IC		
7	AVREF1	1	1 .	A/D converter reference voltage		
8	PDI	l i -	 	Data input from PLL IC		
9	PDO	Ö	С	Data output for PLL IC		
10	PCK	0	C			
11	EDI	1 -	1 -	Serial clock output for PLL IC		
12	EXDT	0	С	Data input from EP ROM		
				Data output for external IC		
13	EXCK	0	С	Clock output for external IC		
14	LCE0	0	С	Chip enable output pin for LCD driver 0		
15	LCE1	0	С	Chip enable output pin for LCD driver 1		
16	LINH	0	С	Inhibit output for LCD driver		
17	RDT	1/0	С	Data input/output to RDS control IC		
18	RCK	1/0	С	Clock input/output to RDS control IC		
19	ECE	0	С	Chip enable output for EP-ROM		
20-25	KST0-5	0	С	Key strobe output		
26	NC			Not used		
27-30	KD0KD3	1		Key return input		
31	MSIN	ı		Cassette mechanism MS sense input		
32	F/R	0	С	Cassette mechanism head forward/reverse select output		
33	VSS			GND		
34	PLAY	0	С	Music search gain select output		
35	MTL	Ī	1	Cassette mechanism tape select input		
36	LOAD	O	С			
37	POS	i	 C	Loading motor LOAD control		
38	RES		-	Cassette mechanism position sense input		
		+!-		Cassette mechanism reverse end sense input		
39	NES	<u> </u>		Cassette mechanism forward end sense input		
40	SC2	0	С	Cassette mechanism sub motor control output		
41	SC1	0	С	Cassette mechanism sub motor control output		
42	CM	0	С	Cassette mechanism capstan motor control output		
43	STBY	0	С	Cassette mechanism driver stand-by output		
44	TAPPWR	0	С	Tape +B ON/OFF output		
45	PEE	0	С	Beep tone output		
46	NC			Not used		
47	VST	0	С	Strobe pulse output for electronic volume		
48	VCK	0	С	Clock output for electronic volume		
49	VDT	0	С	Data output for electronic volume		
50	SYSMUT	0	C	System mute output		
51	SYSPW	0	C	System power supply control output		
52	TUNMUT	0	С	Tuner mute output		
53	SWVDD	0	C	Key board unit power supply control output		
54	RDSEN	Ö	C	Enable output for RDS IC		
55	IPPWR	ō	C	Power supply control output for IP BUS interface IC		
56	IPDO	Ö	C	Data output for IP BUS interface IC		
57	IPDI	l i		Data input from IP PUS interface IC		
	RDSRST	0	-	Data input from IP BUS interface IC		
58		0	C	Reset output for RDS IC		
59	RDSSEL	 	С	Select output for RDS IC		
60	RESET	 		Reset input		
61	SD	-!		Station detector signal input		
62	ASEN			ACC power sense input		
63	ISEN			Illumination power supply sense input		
64	BSEN			Back up power sense input		
65	EXOE	0	С	Enable output for external IC		

Pin No.	Pin Name	1/0	Output Format	Function and Operation	
66	EXLD	0	С	Load output for external IC	
67	EJECT	1		Eject key input pin	
68	VDD			Power supply	
69,70	X2,X1			Crystal oscillating element connection pin	
71	IC			Not used	
72	XT2			Not used	
73	RDSRDY	ı		Ready input from RDS IC	
74	AVDD			Power supply	
75	AVREF0		1	A/D converter reference voltage	
76	SL	ı		Signal level input from tuner	
77	BASS	- 1		A/D converter input from BASS volume	
78	MID	1		A/D converter input from MID volume	
79	TRE	1		A/D converter input from TREBLE volume	
80	BAL	1		A/D converter input from BALANCE volume	

*PD4496B




Output Format	Meaning
С	C MOS output


Pin Functions (LC75821W)

Pin No.	Pin Name	1/0	Function and Operation
1–23	SEG1-23	0	LCD segment output
24	NC		Not used
25-54	SEG24-53	0	LCD segment output
55	OSCIN	1	Oscillating element connection pin
56	SWD5V		LCD bias voltage setup input
57	LINH	1	Inhibit input
58	SWD5V		LCD bias voltage setup input
59	VSS		GND
60	LCE	- 1	Chip enable input
61	EXCK	1	Clock input
62	DATA	ı	Data input
63,64	COM1,2	0	LCD common output

*LC75821W



CWV1041



● FM Front End (CWB1070) (KEX-P8256ZT/EW,AU,ES,KEX-P8156ZT/EW,ES)




Fig.32

● FM Front End (CWB1059) (KEX-P8156ZT/UC)




Fig.33

9. EXPLODED VIEW PARTS LIST

NOTE:

- Parts marked by "* "are generally unavailable because they are not in our Master Spare Parts List.
- Chassis (KEX-P8256ZT/EW)(Exploded View:Page 2-5)

Mark	No.	Description	Part No.	Mark No	. Description	Part No.
	1	Screw	BMZ26P050FMC	2	l Holder	CNC4983
	2	Screw	BMZ30P060FMC	22		
	3	Case	CNB1759	23	B AM(MW/SW) Unit	CWA1079
	4	Spacer	CNM3909	24	AM Noise Canceller Unit	CWA1085
	5	Main Unit	CWM3550	25	5 FM Unit	CWE1343
	6	Chassis Unit	CXA5778	26	Plug(CN201)	CKS1607
*	7	Grille Assy	CXA6829	27	_	CKS1615
	8	Cassette Mechanism Modu	leEXK3030	28	B Holder	CNC5060
	9	Screw	PMS30P060FMC	29	Plug(CN250)	CKS1606
	10	Screw	BMZ30P060FMC		Holder	CNC3881
	11	Connector(CN703)	CDE4128	3	Plug(CN2)	CKS1607
	12	Connector(CN852)	CKM1124	32	Plug(CN1)	CKS1616
	13	Connector(CN951)	CKM1127	33	3 Holder	CNC4666
	14	Connector(CN851)	CKM1206	. 34	FM Front End(FE101)	CWB1070
	15	Connector(CN401)	CKS2628	38	Transistor(Q958,959)	2SB942
	16	Connector(CN701,702)	CKS2657	36	5 IC(IC951)	TA8214K
	17	Connector(CN402)	CKS2752	37	7	
	18	Connector(CN652,653)	CKS3008	38	3	
	19	Antenna Jack(CN651)	CKX1041	39)	
	20	Holder	CNC4981	40) •••••	
				4	1	
				42		

■ The KEX-P8156ZT/EW, UC, ES, KEX-P8256ZT/AU, and KEX-P8256ZT/ES Parts Lists enumerate the parts which differ from those enumerated in the KEX-P8256ZT/EW Parts List only. The parts other than those enumerated in the former are identical with those in the latter, to which you are requested to refer, accordingly.

			P8256ZT/EW	P8156ZT/EW	P8156ZT/UC	P8256ZT/AU	P8256ZT/ES	P8156ZT/ES
Mark	No.	Description	Part No.					
	5	Main Unit	CWM3550	CWM3549	CWM3547	CWM3553	CWM3554	CWM3552
*	. 7	Grille Assy	CXA6829	CXA6826	CXA6825	CXA6828	CXA6830	CXA6827
	8	Cassette Mechanism	EXK3030	EXK3030	EXK3040	EXK3030	EXK3030	EXK3040
		Module					•	
	19	Antenna Jack(CN651)	CKX1041	CKX1041	CXK1024	CXK1024	CKX1041	CKX1041
	23	AM(MW/SW) Unit	CWA1079	CWA1079	CWA1078	CWA1076	CWA1075	CWA1077
	24	AM Noise Canceller Unit	CWA1085	CWA1085	CWA1085	••••	CWA1085	CWA1085
	25	FM Unit	CWE1343	CWE1343	CWE 1342	CWE1345	CWE1345	CWE 1345
	29	Plug(CN250)	CKS1606	CKS1606	CKS1606	****	CKS1606	CKS1606
*	30	Holder	CNC3881	CNC3881	CNC3881	••••	CNC3881	CNC3881
	34	FM Front End(FE101)	CWB1070	CWB1070	CWB1059	CWB1070	CWB1070	CWB1070
	37	AM Stereo Unit	••••	****	••••	CWA1066	••••	••••
	38	Connector(A)	••••	••••	••••	CKS2630	****	••••
	39	Holder	••••	••••	••••	CNC2276	****	••••
	42	Insulator	••••	••••	CNM3975	••••	••••	••••

● Grille Assy (KEX-P8256ZT/EW)(Exploded View:Page 2-3)

Mark No.	Description	Part No.	Mark No.	Description	Part No.
1	Screw	BPZ26P100FMC	26	Grille Unit	CXA7697
2	Button(EJECT)	CAC3708	27	Door	CAT1630
3	Button(1 2)	CAC3710	28	Spring	CBH1371
4	Button(3 4)	CAC3711	29	Connector(CN904)	CKS2276
5	Button(5 6)	CAC3712	30	Connector(CN905)	CKS2626
6	Button(TAPE)	CAC3717	31	Connector(CN901,902)	CKS2647
7	Button(TI)	CAC3800	32	Holder	CNC4980
8	Button(NF)	CAC3801	33	Rubber	CNV3649
9	Button(UKW)	CAC3804	34	Rubber	CNV3650
10	Button(LW/MW)	CAC3805	35	Rubber	CNV3651
11	Button(CD)	CAC3808	36	LCD	CAW1294
12	Button(P.SCAN SCAN)	CAC3867	37	Plug(CN903)	CKS1042
13	Button	CAC4052	38	Holder	CNC5182
14	Nut	CBN1008	39	P.C.Board	CNP3493
15	Holder	CNC4979	40	Clamper	CNV3652
16	Lens	CNV3644	41	Holder	CNV3653
17	Holder	CNV3645	42	Volume(VR901-905)	CCS1224
18	Holder	CNV3646	43	Volume(S901)	CCS1106
19	Holder	CNV3647	44	••••	
20	Holder	CNV3648	45	•••••	
21	Lens	CNV3657	46	Holder	CNV3647
22	Key Board Unit	CWM3599	47	Holder	CNV3647
	LCD Unit	CWM3736			
24	Knob Assy	CXA6411			
	Knob Assy	CXA6412			

■ The KEX-P8256ZT/AU, and KEX-P8256ZT/ES Parts Lists enumerate the parts which differ from those enumerated in the KEX-P8256ZT/EW Parts List only. The parts other than those enumerated in the former are identical with those in the latter, to which you are requested to refer, accordingly.

		KEX-P8256ZT/EW	KEX-P8256ZT/AU	KEX-P8256ZT/ES
Mark No.	Description	Part No.	Part No.	Part No.
7	Button(TI)	CAC3800	CAC4129(AM MONO)	••••
8	Button(NF)	CAC3801	••••	••••
9	Button(UKW)	CAC3804	CAC3718(FM1/2)	CAC3718(FM1/2)
10	Button(LW/MW)	CAC3805	CAC3714(AM)	CAC3714(AM)
22	Key Board Unit	CWM3599	CWM3555	CWM3556
24	Knob Assy	CXA6411	CXA6410	CXA6410
25	Knob Assy	CXA6412	••••	••••
26	Grille Unit	CXA7697	CXA7698	CXA7699
27	Door	CAT1630	CAT1631	CAT1629
43	Volume(S901)	CCS1106	•••••	•••••
44	Pulse Switch(S926)	••••	CSD1019	CSD1019
45	Knob Assy	••••	CXA6409	CXA6409
46	Holder	CNV3647	CNV3647	••••
47	Holder	CNV3647	••••	••••

Grille Assy (KEX-P8156ZT/EW)(Exploded View:Page 2-4)

Mark No.	Description	Part No.	Mark No.	Description	Part No.
1	Screw	BPZ26P080FMC	26	Grille Unit	CXA7693
2	Button(EJECT)	CAC3708	27	Door	CAT1627
3	Button(12)	CAC3710	28	Spring	CBH1371
4	Button(3 4)	CAC3711	29	Connector(CN904)	CKS2276
٤	Button(5 6)	CAC3712	30	Connector(CN905)	CKS2626
ε	Button(P.SCAN SCAN)	CAC3713	31	Connector(CN901,902)	CKS2647
7	Button(TAPE)	CAC3717	32	Holder	CNC4980
8	Button(TI)	CAC3800	33	Rubber	CNV3649
9	Button(NF)	CAC3801	34	Rubber	CNV3650
10	Button(UKW)	CAC3804	35	Rubber	CNV3651
11	Button(LW/MW)	CAC3805	36	LCD	CAW1293
12	Button(CD)	CAC3808	37	Plug(CN903)	CKS1042
13	Button	CAC4052	38	Holder	CNC5182
14	Nut	CBN1008	39	P.C.Board	CNP3493
15	Holder	CNC4979	40	Clamper	CNV3652
16	S Lens	CNV3644	41	Holder	CNV3653
17	7 Holder	CNV3645	42	Volume(VR901-905)	CCS1224
18	B Holder	CNV3646	43	Volume(S901)	CCS1106
19	Holder	CNV3647	44	••••	
20) Holder	CNV3648	45	••••	
2	Lens	CNV3657	46	Holder	CNV3647
22	2 Key Board Unit	CWM3600			
23	B LCD Unit	CWM3714			
24	Knob Assy	CXA6411			
2	Knob Assy	CXA6412			

■ The KEX-P8156ZT/UC, and KEX-P8156ZT/ES Parts Lists enumerate the parts which differ from those enumerated in the KEX-P8156ZT/EW Parts List only. The parts other than those enumerated in the former are identical with those in the latter, to which you are requested to refer, accordingly.

		KEX-P8156ZT/EW	KEX-P8156ZT/UC	KEX-P8156ZT/ES
Mark No.	Description	Part No.	Part No.	Part No.
8	Button(TI)	CAC3800	••••	••••
9	Button(NF)	CAC3801	••••	••••
10	Button(UKW)	CAC3804	CAC3718(FM1/2)	CAC3872(FM)
11	Button(LW/MW)	CAC3805	CAC3714(AM)	CAC3806(AM/SW)
22	Key Board Unit	CWM3600	CWM3557	CWM3558
24	Knob Assy	CXA6411	CXA6408	CXA6410
25	Knob Assy	CXA6412	••••	•••••
26	Grille Unit	CXA7693	CXA7692	CXA7694
27	Door	CAT1627	CAT1326	CAT1628
43	Volume(S901)	CCS1106	CCS1106	••••
44	Pulse Switch(S926)	****	••••	CSD1019
45	Knob Assy	••••	CXA6409	CXA6409
46	Holder	CNV3647	••••	••••

Cassette Mechanism Module (KEX-P8256ZT/EW)(Exploded View:Page 2-7)

fark No.	Description	Part No.	Mark No.	Description	Part No.
1	****		46	Gear	ENV1423
2	Screw	BSZ20P040FMC	47	Collar	ENV1349
3	Screw(M2x4)	CBA1015	48	Gear	ENV1350
4	Washer	CBF1037	49	Gear	ENV1351
5	Washer	CBF1038		Gear	ENV1354
6	Washer	CBG1003	51	Gear	ENV1355
7			52	Gear	ENV1357
8	Deck Unit	CWM3709	53	Gear	ENV1358
9	Spring	EBH1458	54	Gear	ENV1359
	Spring	EBH1434		Clamper	ENV1360
11	Spring	EBH1435	56	Clamper	ENV1361
	Spring	EBH1437		Arm	ENV1362
	Spring	EBH1464	58	Gear	ENV1363
	Spring	EBH1439		Flywheel	ENV1410
	Spring	EBH1440		Head Assy	EXA1364
16	Spring	EBH1441	61	Arm Unit	EXA1276
	Spring	EBH1442		Arm Unit	EXA1277
	Spring	EBH1443		Motor Unit	EXA1335
	Spring	EBH1446		Motor Unit	EXA1279
	····	LBITT 110		Head Base Unit	EXA1340
21	Spring	EBL1016	66	Gear Unit	EXA1281
	Connector(CN252)	CKS2127		Guide Unit	EXA1356
	Photo-Interrupter	EGN1002		Chassis Unit	EXA1339
	Roller	ELA1281		Pinch Roller Unit	EXA1284
	Shaft	ELA1282		Pinch Roller Unit	EXA1285
26	Roller	ELA1283	71	Reel Unit	EXA1306
	Cover	ENC1307		Arm Unit	EXA1338
				Sub Chassis Unit	
	Connector(CN251)	CKS1711			EXA1312
	Connector(CN253)	CKS2129		Arm Unit	EXA1289
30	Arm	ENC1310	75	Spare Unit	EXA1367
	Arm	ENC1311		Screw	HBA-147
	Lever	ENC1312	* *	Washer	HBF-179
33	Holder	ENC1365	_	Screw	JGZ20P025FNI
34	Cover	ENC1372		Screw	CBA1031
35	Lever	ENC1315	80	P.C.Board Unit	EWM1003
	Lever	ENC1353		••••	
	Bracket	ENC1317		Washer	YE15FUC
-	3 Arm	ENC1335		Washer	YE20FUC
39	P.C.Board	ENP1109		Washer	YE25FUC
40	P.C.Board	ENP1120	85	Frame Unit	EXA1290
	P.C.Board	ENP1119		Lever	ENC1308
42	Roller	ENR1023	87	Lever	ENC1309
43	Belt	ENT1027	88	Screw	EBA1033
44	Gear	ENV1422		Spring	ELB1020
	Gear	ENV1347		Screw	JFZ17P025FNI

■ The KEX-P8156ZT/EW, UC, ES, KEX-P8256ZT/AU, and KEX-P8256ZT/ES Parts Lists enumerate the parts which differ from those enumerated in the KEX-P8256ZT/EW Parts List only. The parts other than those enumerated in the former are identical with those in the latter, to which you are requested to refer, accordingly.

		P8256ZT/EW	P8156ZT/EW	P8156ZT/UC	P8256ZT/AU	P8256ZT/ES	P8156ZT/ES
Mark No.	Description	Part No.					
8	Deck Unit	CWM3709	CWM3709	CWM3710	CWM3709	CWM3709	CWM3710

10. ELECTRICAL PARTS LIST

NOTE:

- Parts whose parts numbers are omitted are subject to being not supplied.
- The part numbers shown below indicate chip components.

Chip Resistor

RS1/OSOOOJ,RS1/OOSOOOJ

Chip Capacitor (except for CQS.....)

CKS....., CCS....., CSZS.....

	o. Part Name=====	Part No.	=====Circuit Symbol & No. Part Name=====	Part No.
Jnit Number : CWA1079			CAPACITORS	
Jnit Name : AM Unit			C 201 216 225 234	CKSQYB103K2
MISCELLANEOUS			C 203	CSZA3R3M16
MICOLLEDANIEGGE			C 204 239	CKSQYB223K2
C 201		PAF001A	C 205	
201		2SK435	C 206	CCSRCH120J5
		2SC4116	C 200	CCSQCH560J5
202			C 007	00000110001
204		2SC2412K	C 207	CCSQCH680J5
206		HN1C01FU	C 208	CKSQYB223K2
		DTC404511	C 211	CEAR47M50LL
231		DTC124EU	C 212	CKSQYB332K5
232		DTC124EU	C 213	CCSQCH330J5
201 204		1SS226		
205		SVC203CP	C 215 240 245	CKSQYB473K1
_ 201	Inductor	CTF1287	C 218	CKSQYB473K1
			C 220	CCSRCH430J5
202	Coil	CTB1102	C 221	CCSQCH120J5
203	Inductor	LAU390K	C 224	CEA470M16LL
204	Ferri-inductor	LAU680K		
205	Inductor	CTF1198	C 229	CEA101M10LL
206	Inductor	CTF1197	C 230	CKSQYB682K5
-			C 231	CCSRCH100DE
203	Coil	CTB1040	C 232 241 244	CKSRYB103K2
203	Coil	CTE1079	C 235	CEA1R5M50LL
205	Coil	CTE1100	0 100	CLA IIIOIIIOCL
206	Coil	CTE1072	C 236	CEAOR1M50LL
	COII	CTF1262	C 237	
CF 201		C171202	C 237	CEA4R7M35LL
T 000	Filter	CTEACOR		CEA3R3M50LL
CF 202		CTF1085	C 242	CCSQCH030C5
X 201	Crystal Resonator 10.26MHz		Liefa Marria Characteria	
/R 201	Semi-fixed 4.7kΩ(B)	CCP1179	Unit Number : CWA1085	
VR 202	Semi-fixed 15kΩ(B)	CCP1182	Unit Name : AM Noise Canceller Unit	
RESISTORS			MISCELLANEOUS	
R 200		RD1/4PS103JL	IC 250	HA12429MP
3 201		RS1/16S220J	Q. 250	2SC4116
202 230 233		RS1/10S102J	Q 251 252 253	2SC4116
204		RS1/10S472J	T 250 Coil	CTB1078
205 209		RS1/10S470J	VR 250 Semi-fixed 10kΩ(B)	CCP1154
207 237 238 241		RS1/10S103J	RESISTORS	
208 220 221 245 2	.50	RS1/10S0R0J		
211 213		RS1/16S103J	R 250 263	RS1/10S103J
215 234		RS1/16S0R0J	R 251 252	RS1/10S472J
218		RS1/10S0R0J	R 253	RS1/10S822J
			R 254	RS1/10S332J
229		RS1/10S101J	R 255 270	RS1/10S223J
231		RS1/10S823J		110 1/ 1002200
235		RS1/16S104J	R 256	RS1/10S274J
236 242		RS1/10S103J	R 257	RS1/10S224J
239		RS1/10S152J	R 258 269	
239		NS 1/105 1523		RS1/10S473J
040		DC4/40C202 I	R 259 260	RS1/10S682J
240		RS1/10S393J	R 261	RS1/10S223J
243		RS1/10S152J		
R 244		RS1/10S242J	R 262	RS1/10S223J
		RS1/10S222J	R 264	RS1/10S183J
		RS1/10S225J	R 265	RS1/10S184J
			R 266	RS1/10S105J
R 248 R 249			R 266 R 271	RS1/10S105J RS1/10S103J

====Circuit Symbol & No. I	Part Name===== Part No.	====Circuit Symbol & No. Part Name=====	Part No.
CAPACITORS		R 75 104	RS1/10S102J
250 253 266	01/001/0404/74	R 76	RS1/10S151J
250 253 266 251	CKSQYB103K50	R 101	RS1/16S681J
251 252	CKSQYB391K50 CKSQYB102K50	R 102 R 106 172	RS1/16S223J
255	CEV220M16	n 100 172	RS1/10S104J
256	CEV010M50	R 108	RS1/10S333J
	52.00,000.00	R 111	RS1/10S183J
257	CKSQYF683Z25	R 121	RS1/10S473J
258 259 274	CKSQYB333K25	R 122	RS1/10S104J
260	CEVR33M50	R 123	RS1/10S154J
261	CCSQCH430J50		
262.	CKSQYB102K50	R 127	RS1/10S333J
263	OF UPTAGE	R 143	RS1/10S393J
264	CEV4R7M35 CEV100M16	R 144 R 146 174	RS1/10S103J
265	CEV100M10	R 151 152	RS1/10S153J
267	CCSQCH181J50	R 151 152	RS1/10S392J
268	CCSQCH471J50	R 153	RS1/10S222J
		R 154	RS1/10S124J
269	CCSQCH331J50	R 180	RS1/10S335J
270 271	CKSQYB103K50		,
272	CKSQYB332K50	CAPACITORS	
273	CEV101M10		
275	CKSQYF104Z25	C 1 111	CEA100M16LL
		C 2 59 74 129	CKSQYB473K1
Jnit Number : CWE1343		C 10 54	CCSQCH101K5
Jnit Name : FM Unit		C 21 72 73 80 104 172 C 51	CKSQYB103K2
MISCELLANEOUS		C 51	CKSQYB473K1
MOCELEAI 12000		C 52 53 61	CKSRYB223K2
C 51	PA4021A	C 57	CSZSR33M35
1 5 51	DTC124EU	C 58	CCSQCH040C5
1 3	2SA1586	C 60	CEA100M10NF
71 171	2SC4116	C 101	CKSRYB682K5
123	2SC4116		OKDIII DOOLKO
		C 102	CKSQYB682K5
	rri-Inductor LAU150K	C 103	CKSQYB152K5
	rri-Inductor LAUR22M	C 105	CEA1R5M50LL
. 71	LAU3R9K	C 106	CEA0R1M50LL
	ductor LCTA102K4532	C 107	CKSRYB222K50
51 Co	oil CTE1111		
		C 108	CKSQYB222K5
T 52 Co		C 110	CKSYB224K16
F 71 Co		C 112	CKSYB183K25
	termistor CCX1024 termistor CCX1015	C 122	CKSQYB104K1
	ter CCX1015	C 124	CSZS1R5M10
1 32 33	C1F (05)	C 128	CKCOMBOOKE
(151 · Ce	ramic Resonator CSS1055	C 151 152	CKSQYB332K50 CKSQYB153K2
	mi-fixed 22kΩ(B) CCP1183	C 153	CKSYB474K16
	mi-fixed 10kΩ(B) CCP1181	C 154 155 156	CEA3R3M50LL
	mi-fixed 68kΩ (B) CCP1186	C 157	CEA101M10LL
/R 102 Se	mi-fixed 33kΩ(B) CCP1184		
		C 171	CKSQYB563K2
	mi-fixed 1kΩ(B) CCP1175	C 173	CKSQYB104K1
E 101 FN	Front End CWB1070	C 180	CEA2R2M50LL
ESISTORS			
20.010110		Main Unit	
4	RS1/10S0R0J	Consists of	
5	RS1/10S223J	Tuner P.C.Board	
6 10 12	RS1/10S0R0J	Control P.C.Board	
7	RS1/10S560J		
23 61	RS1/10S682J	Unit Number : CWM3550	
		Unit Name : Main Unit	
24 72 105	RS1/10S123J		
25	RS1/10S243J	MISCELLANEOUS	
54	RS1/10S822J		
56 173	RS1/10S473J	IC 402 404 851	XRA4558F-P
57	RS1/10S472J	IC 403	SA572D
50		IC 405	PMJ002A
58	RS1/16S203J	IC 501	LC72140M
59 60	RS1/16S331J	IC 601	PMR001B
60	RS1/10S153J	10.000	
73 74	RS1/10S103J	IC 602	SC14SU69F
74	RS1/10S331J	IC 603	PD0179B
		IC 701	PD4496B
		IC 702	PDH004A
		IC 703	S-80740AND4I

====C	ircuit	Symb	ool &	No. P	art	Name)=== =	=		Part No.	*=	===C	ircuit	Sym	ool &	No. F	art f	Vame	====	=		Part No.
C 704 C 705 C 852 C 951 Q 503				651	680	681	682			MB88306PF PA0051AM UPC4570G TA8214K 2SC2712	R R R R	433 435 437	432 434 436 439	663 702	821	822	955	1061	1062	1063		RS1/10S273J RS1/10S101J RS1/10S361J RS1/10S152J RS1/10S511J
Q 504 Q 505 Q 508 Q 510 Q 683	688 512		709 686	715	952					DTA114EK DTC124EK 2SK208 2SC3098 DTC343TK	R R R R	442 501	510	800 511 504	736	737	738				608	RS1/10S181J RS1/10S153J RS1/10S473J RS1/10S102J RS1/10S0R0J
Q 702 Q 703 Q 708 Q 714 Q 718	705	707								2SB1260 2SA1162 DTC123YK DTC143EK DTC114EK	R	518 520 525	680	642 688 534	689	692	693	995	787	788	789	RS1/10S222 RS1/10S103 RS1/10S102 RS1/10S182 RS1/10S821
Q 719 Q 725 Q 728 Q 951 Q 953	727	722 732 968								DTA144EK DTC144EK 2SB1184F5 2SA1162 2SC3651	R	527 528 529 530 533										RS1/10S101. RS1/10S680. RS1/10S331. RS1/10S330. RS1/10S0R0.
Q 954 Q 958 Q 960 Q 961 Q 965	959	•								2SC2712 2SB942 2SD1767 2SC2712 2SC2712	R R R R	536 539 603 604 609	953 605	661	682	683						RS1/10S152 RS1/10S102 RS1/10S472 RS1/10S333 RS1/10S681
D 401	975	976 403		953						2SB1243 2SC2712 2SC2712 MA153-MC MA8027H	R R R R	617 629	619 632	621	623 634	624	698	725	726	727	753	RS1/10S102 RS1/10S473 RS1/10S105 RS1/10S102 RS1/10S472
D 704 D 708	680 707	715		713 717		719	964			MA8056H MA151WK-MT MA151K-MH MA3180M ERA15-10	R R R R	659 662 686 696 699		873 690			890 852	853	854			RS1/10S392 RS1/10S223 RS1/10S561 RS1/10S683 RS1/10S221
D 951 D 952 D 954 D 955 D 958	957									MA8056M ERA15-02 MA3100H MA8082M MA8043H	R R R R	704	715	795	799	804	808	813				RS1/10S102 RS1/10S0R0 RS1/10S471 RS1/10S103 RS1/10S222
D 959 D 962 D 963 L 501 L 502		961			ducto ducto					MA8075M MA3200MH GP30ML-6373 LCYA150K3225 LCYA1R0M3225	R R R	732 747	734 748	735 749	740 750	741 751	742 752	743 759	744 760	745 763	746 764	RS1/10S104 RS1/10S102 RS1/10S102 RS1/10S473 RS1/10S681
L 601 L 951 L 952 X 501 X 601	!	670		Ch Cr	ducto oke (ystai	Coil Reso	nator nator			LCYA101K3225 LCTA100K4532 CTH1069 CSS1011 CSS1056	R R R	780 790 792	783 791	767 785 835 803	818 956	839 959	847	859	782 860	784 861		RS1/10S102 RS1/10S473 RS1/10S222 RS1/10S3R3 RS1/10S2R2
X 701 VR 650 EF 951 AR 651	t			Se		xed 2	onato .2kΩ(MHz	CSS1305 CCP1177 CCG1006 DSP-201M CWA1079	R	823 827 833	824 831									RS1/10S102. RS1/10S121. RS1/4S221J RS1/10S2R7. RS1/10S103.
RESIST	rors				/I Noi I Unit		ncelle	er Uni	it	CWA1085 CWE1343	R R	840 842	848 856	857 865	858 866	989	993 884	996	998			RS1/8S222J RS1/8S102J RS1/10S241, RS1/10S473, RS1/10S332,
R 405 R 409 R 411	404 406 410 412 414				628	636	638	640	717	RS1/10S512J RS1/10S224J RS1/10S562J RS1/10S104J RS1/10S223J	R R R R	871	872 881	887 882	888 895	896	897	898		971	973	RS1/10S242. RS1/10S510. RS1/10S510. RS1/10S103. RS1/10S6R8.
R 423 R 425	428		513	522	535	681	684	685	719	RS1/10S332J RS1/10S123J RS1/10S222J RS1/10S752J RS1/10S183J	R R R	961 963 968 972		1001								RS1/2S221J RS1/2S1R0J RS1/10S123J RS1/4S821J RS1/8S472J

==:	===Ci	rcuit	Symi	ool &	No. P	art I	Name		=		Part No.	====Circuit Symbol & No. Part Name=====	Part No.
R R R	979 980	983 1058	1054	1055		****		****		4,000	RS1/10S4R7J RS1/10S103J RS1/10S102J RS1/2S681J RS1/8S222J	C 875 876 877 878 889 890 891 892 C 886 887 888 953 992 C 951 957 965 980 987 995 996 997 C 955 0.1F/5.5V C 956 971 978 983	CKSQYB223K25 CEA100M16LL CKSQYB103K25 CCL1023 CEA101M10LL
R R R	1006 1008 1051 1071	1072		1074	1075	1076	1077	1078			RS1/8S103J RS1/10S224J RS1/10S473J RS1/10S470J	C 961 962 C 964 C 977 C 982 984 C 990 2200 \(\mu \text{F}/16\text{V}\)	CEA010M50LL CEA470M10LL CKSQYB103K25 CEA470M16LL CCH1001
CA	PACI	TORS										C 998 470 µF/16V	CCH1183
00000	403 405 407		450	451 701	505		419	420	423	427	CEA100M16LL CCSQCH101J50 CEA220M16LL CKSQYB104K25 CEA4R7M35LL	C 999 1000 Key Board Unit Consists of Key Board Volume P.C.Board	CKSQYB223K50
0000	417 421 425	424 418 422 426		858 445		860					CEA2R2M50LL CEA2R2M50NPLL CCSQCH470J50 CKSQYB272K50	Encoder P.C.Board Unit Number : CWM3599 Unit Name : Key Board Unit	
С	428	429	430	452	453	871	872	873	874	885	CEA100M16LL	MISCELLANEOUS	
00000	433 435	432 434 504 437 439	615	618	619	621	626	702	703	704	CEA3R3M50LL CKSQYB152K50 CKSQYB103K25 CKSQYB682K50 CKSQYB222K50	S 901 Volume IL 903 904 905 906 Lamp 8V 60mA IL 907 908 909 910 Lamp 8V 60mA IL 911 912 913 914 Lamp 8V 60mA Lamp 8V 60mA	CCS1106 CEL1343 CEL1343 CEL1343 CEL1343
00000	440 442 448 455 501	441 443 449 614 507	623	705	706	707	708	709	710	711	CKSYB124K16 CKSQYB682K50 CKSQYB823K25 CKSQYB102K50 CCSQCH120J50	IL 916 Lamp 8V 60mA VR 901 902 903 904 Volume 50kΩ(B) VR 905	CEL1375 CCS1224 CCS1224
00000	503	696 612 519 515 602	851 622 611 518	852 620 520	853 522		603	625	668	669	CKSQYB102K50 CKSQYB223K25 CEAS100M16 CKSQYB103K25 CEA1R5M50LL	Unit Number : CWM3709 Unit Name : Deck Unit MISCELLANEOUS	UA12152
00000	513 514 516 517 521	002			1.7 μF	-/16V					CGCYX473K25 CFTNA474J50 CCSQCH561J50 CCSQCH101J50 CCH1165	IC 251 IC 351 Q 271 Q 351 Q 352	HA12163 PA2020A 2SC4116 2SB1260 2SC4102 MA141K-MH
. с	524				, ,	,					CKCYB472K50	VR 301 302 Semi-fixed 33kΩ(B)	CCP1130
CCCC	601 604 605 606		673	952	979	981	989				CKSQYB472K50 CEASR33M50 CKSQYB473K25 CSZA100K10	RESISTORS R 251 252 253 254 R 255 256 R 257 258 274	RS1/10S134J RS1/10S181J
0000		609 682	683	684	685						CKSQYB472K50 CEAS010M50 CEAS3R3M50 CKSQYB103K25	R 257 258 271 R 259 260 R 261 262 403 405 R 272 273 322	RS1/10S183J RS1/10S133J RS1/10S274J RS1/10S223J
CCC	616 624 663	718	719	720	721	954	958	959	991	994	CCSQCH150J50 CKSQYB473K25 CEASR22M50	R 274 358 359 R 275 R 276 278 R 277	RS1/10S103J RS1/10S473J RS1/10S104J RS1/10S224J
CCC	666	665	675	966	967	968	969	974	975	976	CKSQYB393K25 CKSQYB273K25 CKSQYB103K25	R 279 280 402 R 351 352	RS1/10S223J RS1/10S102J
CCC	672	678							_,,		CEAS470M16 CKSQYB102K50 CKSQYB153K25	R 353 354 360 R 355 R 356	RS1/10S102J RS1/10S274J RS1/10S202J
C	681 687										CKSQYB682K50 CEAS101M16	R 357 R 361	RS1/10S472J RS1/10S622J
CCC	714 861	862	863	864	722						CKSQYB102K50 CCSQCH471J50 CCSQCH100D50	R 401 R 404	RS1/10S273J RS1/10S823J
C		866 868			881	882	883	884			CEA100M10NPLL CCSQCH181J50		

====Circuit Symbo	ol & No. Part Name====	Part No.	====Circuit Symbol & No. Part Name===== Part No.
CAPACITORS			RESISTORS
	254	CKSQYB471K50	R 901 902 RS1/10S473J
C 255 256 353 3 C 257 258	356	CKSQYB103K50 CEVNP010M50	R 903 904 905 906 907 908 909 910 RS1/10S102J
C 271 C 272		CEV010M50 CKSQYB104K25	CAPACITORS
0 2/2		01104751041420	C 901 902 CCSQCH681J50
C 301 302		CEVNPR47M50	C 903 904 CKSQYB103K25
C 309 310		CKSQYB104K16	C 905 906 CKSQYB473K25
C 351		CKSYB224K25	C 907 908 CKSQYB102K50
C 352		CKSQYB392K50	
C 354		CKSQYB473K50	Unit Number : EWM1003 Unit Name : P.C.Board Unit
C 355		CKSYB104K50	
C 401		CKSQYB182K50	S 1 2 Switch (70 μ S, Load) ESN 1013
C 402		CKSQYB822K50	EGN 1 2 Photo-Interrupter (NJL5181KA-F10) GGC1066
C 403		CKSQYB333K50	R 1 RS1/8S271J
C 404		CKSQYB471K50	R 2 RS1/8S681J
Unit Number : CW			Miscellaneous Parts List
Unit Name : LCI	D Unit		EGN 3 Photo-Interrupter EGN1002
A WOOD I A NEOLIC			
MISCELLANEOUS			M 1 Motor Unit (Main) EXA1335
10 000		1.07500414/	M 2 Motor Unit (Sub) EXA1279
IC 901 902	1 01/ 100 1	LC75821W	HD 1 Head Assy EXA 1364
IL 901 902	Lamp 8V 100mA LCD	CEL1342 CAW1294	

■ The KEX-P8156ZT/EW, UC, ES, KEX-P8256ZT/AU, and KEX-P8256ZT/ES Parts Lists enumerate the parts which differ from those enumerated in the KEX-P8256ZT/EW Parts List only. The parts other than those enumerated in the former are identical with those in the latter, to which you are requested to refer, accordingly. The KEX-P8256ZT/EW Parts List is given on page 1-32.

Main Unit

	KEX-P8256ZT/EW	KEX-P8156ZT/EW	KEX-P8156ZT/UC	KEX-P8256ZT/AU	KEX-P8256ZT/ES	KEX-P8156ZT/ES
Circuit Symbol & No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
C601	PMR001B	PMR001B	****	*****	*****	*****
C602	SC14SU69F	SC14SU69F	*****	*****	*****	*****
C603	PD0179B	PD0179B	••••	*****	*****	*****
IC651	*****	••••	KHA197	KHA197	*****	****
IC652	*****	*****	PA5014A	PA5014A	••••	*****
IC701	PD4496B	PD4496B	PD4495C	PD4495C	PD4495C	PD4495C
IC702	PDH004A	PDH004A	*****	PDH004A	****	****
Q501	*****	****	****	*****	*****	DTA114EK
Q503	2SC2712	2SC2712	*****	2SC2712	2SC2712	2SC2712
Q504	DTA114EK	DTA114EK	•••••	••••	*****	DTA114EK
Q505	DTC124EK	DTC124EK	*****	••••	••••	****
Q506	*****	*****	*****	2SC3295	****	2SC3295
Q507	*****	••••	*****	2SC2712	*****	2SC2712
Q510	2SC3098	2SC3098	****	2SC3098	2SC3098	2SC3098
Q511	2SC2712	2SC2712	2SC2712	*****	2SC2712	••••
Q512	2SK208	2SK208	2SK208	*****	2SK208	••••
Q513,514	****	*****	2SA1162	*****	*****	****
Q602,651	2SC2712	2SC2712	****	*****	*****	****
Q680	2SC2712	2SC2712	2SC2712	*****	2SC2712	2SC2712
Q721	*****	••••	DTA144EK	*****	*****	DTA144EK
D501	*****	*****	••••	MA153-MC	*****	MA153-MC
D503	MA8027H	MA8027H	MA8027H	*****	MA8027H	****
D601	MA8056H	MA8056H	****	••••	*****	****
D650	****	*****	MA151K-MH	MA151K-MH	*****	*****
D680,681	MA151WK-MT	MA151WK-MT	MA151WK-MT	MA151K-MH	MA151WK-MT	MA151WK-MT
D703	*****	*****	••••	••••	*****	*****
D704	MA151K-MH	*****	*****	MA151K-MH	MA151K-MH	*****
D705	*****		*****	MA151K-MH	••••	MA151K-MH
D706		*****	*****	*****	MA151K-MH	****
D720	*****	****	****	MA151WA-MN	MA151WA-MN	MA151WA-MN

	KEX-P8256ZT/EW	KEX-P8156ZT/EW	KEX-P8156ZT/UC	KEX-P8256ZT/AU	KEX-P8256ZT/ES	KEX-P8156ZT/ES
Circuit Symbol & No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
AR652	*****	****	DSP-201M	DSP-201M	****	*****
VR650	CCP1177	CCP1177	*****	****	*****	****
L502	LCYA1R0M3225	LCYA1R0M3225	*****	LCYA1R0M3225	LCYA1R0M3225	LCYA1R0M3225
L601	LCYA101K3225	LCYA101K3225		*****	****	*****
L602	LCYA101K3225	LCYA101K3225	••••	*****		****
L602	LC TA TO IN3225	LCTATOTK3225		•		
L651	****	*****	LCYA1R0M3225	LCYA1R0M3225		
X601	CCS1056	CCS1056	*****	*****	••••	
MW/SW Unit	****	CC3 1050	****	****		
					*****	CWA1077
AM Unit	CWA1079	CWA1079	CWA1078	CWA1076	CWA1075	*****
AM Noise Canceller Unit	CWA1085	CWA1085	CWA1085	*****	CWA 1085	CWA1085
AM Stereo Unit	*****	*****	••••	CWA1066	****	*****
FM Unit	CWE1343	CWE1343	CWE1342	CWE1345	CWE1345	CWE1345
R425,426	RS1/10S222J	RS1/10S222J	RS1/10S332J	RS1/10S272J	RS 1/10S332J	RS1/10S132J
R506	*****	*****	*****	*****	*****	RS1/10S473J
				1		
R508	RS1/10S222J	RS1/10S222J	*****	RS1/10S222J	RS1/10S222J	RS1/10S222J
5500	DO4/4000D01	2004/4000001				
R509	RS1/10S0R0J	RS1/10S0R0J	•••••	*****	*****	*****
R510	RS1/10S473J	RS1/10S473J	••••	*****	*****	RS1/10S473J
R512	RS1/10S222J	RS1/10S222J	RS1/10S472J	RS1/10S102J	RS1/10S472J	RS1/10S472J
R513	RS1/10S222J	RS1/10S222J	RS1/10S0R0J	RS1/10S0R0J	RS1/10S0R0J	RS1/10S0R0J
R514	****	••••	*****	RS1/10S103J	*****	RS1/10S103J
R515	****	*****		RS1/10S223J	*****	RS1/10S682J
	*****	••••		RS1/10S223J	••••	RS1/103082J
R516	1					
R517	••••	*****	*****	RS1/10S152J	*****	RS1/10S152J
R522	RS1/10S222J	RS1/10S222J	RS1/10S101J	RS1/10S222J	RS 1/10S222J	RS1/10S222J
R525	RS1/10S182J	RS1/10S182J	*****	RS1/10S182J	RS1/10S182J	RS1/10S182J
R526	RS1/10S821J	RS1/10S821J	*****	RS1/10S821J	RS1/10S821J	RS1/10S821J
R527	R\$1/10S101J	RS1/10S101J	*****	RS1/10S101J	RS1/10S101J	RS1/10S101J
R528	RS1/10S680J	RS1/10S680J	****	RS1/10S680J	RS1/10S680J	RS1/10S680J
R529	RS1/10S331J	RS1/10S331J		RS1/10S331J	RS1/10S331J	RS1/10S331J
R530	RS1/10S333J	RS1/10S333J	••••	RS1/10S333J	RS 1/10S333J	RS1/10S333J
U220	NO 1/1000000	NO 1/1000000		No 1/ 1000000	NO 1/ 1000000	NO 1/ 1000000
R531	*****	••••	RS1/10S221J	****	••••	****
				1		
R532	*****	••••	RS1/10S682J	*****	*****	*****
R533	RS1/10S0R0J	RS1/10S0R0J	****	RS1/10S0R0J	RS1/10S0R0J	RS1/10S0R0J
R534	RS1/10S102J	RS1/10S102J	RS1/10S102J	*****	RS1/10S102J	••••
R535	RS1/10S222J	RS1/10S222J	RS1/10S222J	*****	RS1/10S222J	*****
R536	RS1/10S152J	RS1/10S152J	RS1/10S152J	*****	RS1/10S152J	****
R537	RS1/10S102J	RS1/10S102J	RS1/10S102J		RS1/10S102J	*****
R538	*****	••••	RS1/10S0R0J	RS1/10S0R0J	RS1/10S0R0J	RS1/10S0R0J
R540,541	****	*****	RS1/10S0R0J	*****	*****	*****
						1
R542	*****	*****	*****	RS1/10S225J	*****	*****
pena	RS1/10S472J	DC1/10C4701				••••
R603		RS1/10S472J	•••••	*****	*****	1
R604,605	RS1/10S333J	RS1/10S333J	*****	*****	*****	*****
R606,607	RS1/10S102J	RS1/10S102J	*****	*****	*****	*****
R608,610	RS1/10S102J	RS1/10S102J	*****	****	*****	••••
R609	RS1/10S681J	RS1/10S681J	*****	••••	•••••	****
R611	RS1/10S223J	RS1/10S223J	****	****	*****	*****
R612,614	RS1/10S102J	RS1/10S102J	••••	*****	••••	*****
·			ì	1		1
R613,615	RS1/10S104J	RS1/10S104J	••••	*****	*****	*****
R616,618	RS1/10S102J	RS1/10S102J	*****	*****	*****	••••
R617,619	RS1/10S473J	RS1/10S473J	••••	••••	•••••	•••••
R620,622	RS1/10S102J	RS1/10S102J	*****	*****	*****	••••
R621,623	RS1/10S473J	RS1/10S473J	****	••••	*****	*****
R624,698	RS1/10S473J	RS1/10S473J	••••	*****	****	
			1		1	
R625,628	RS1/10S104J	RS1/10S104J	••••	*****	•••••	*****
R626,627	RS1/10S102J	RS1/10S102J	*****	*****	*****	*****
ncoo	DC4/40C4071	DOM/MOCACE!				
R629	RS1/10S105J	RS1/10S105J	*****	••••	*****	*****
R630,631	RS1/10S102J	RS1/10S102J	••••	*****	*****	*****
R632,633	RS1/10S102J	RS1/10S102J	••••		*****	••••
R634,635	RS1/10S102J	RS1/10S102J	••••	*****	••••	****
			4	1	I .	

	KEX-P8256ZT/EW	KEX-P8156ZT/EW	KEX-P8156ZT/UC	KEX-P8256ZT/AU	KEX-P8256ZT/ES	KEX-P8156ZT/ES
Circuit Symbol & No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
R637,639	RS1/10S102J	RS1/10S102J	*****	*****	*****	****
R640	RS1/10S104J	RS1/10S104J	****	*****	****	
R641,642	RS1/10S222J	RS1/10S222J	****		*****	
R643,645	RS1/10S102J	RS1/10S102J	*****		*****	••••
R649	RS1/10S102J	RS1/10S102J		*****	*****	••••
110-13	1101/1001020	1101/1001020		1		*****
R651	RS 1/10S0R0J	RS1/10S0R0J			DC4/40C0D01	DC4/40C0D01
	1000100			1	RS1/10S0R0J	RS1/10S0R0J
R652		*****	RS1/10S333J	RS1/10S333J	*****	*****
R653,656	*****	*****	RS1/10S683J	RS1/10S683J	*****	*****
R654	*****	*****	RS1/10S154J	RS1/10S154J	****	*****
R655	****	****	RS1/10S153J	RS1/10S153J	****	•••••
		1				
R658	RS1/10S102J	RS1/10S102J	*****	*****	****	*****
R659,660	RS 1/10S392J	RS1/10S392J	RS1/10S562J	RS1/10S123J	RS1/10S562J	RS1/10S562J
R661	RS 1/10S333J	RS1/10S333J	RS1/10S333J	110 1/100 1230		
	1				RS1/10S333J	RS1/10S333J
R662	RS 1/10S223J	RS1/10S223J	RS1/10S153J	*****	RS1/10S153J	RS1/10S153J
R663	RS 1/10S273J	RS1/10S273J	RS1/10S183J	*****	RS1/10S183J	RS1/10S183J
R672	*****	••••	*****	RS 1/10S222J	*****	••••
R673	****	*****	••••	RS1/10S102J	****	*****
R680	RS 1/10S103J	RS1/10S103J	RS1/10S103J	*****	RS1/10S103J	RS1/10S103J
R681	RS1/10S222J	RS1/10S222J	RS1/10S222J	*****		
				1	RS1/10S222J	RS1/10S222J
R702	RS1/10S101J	RS1/10S101J	RS1/10S101J	RS1/10S102J	RS1/10S102J	RS1/10S102J
R703	••••	****	*****	RS1/10S473J	RS1/10S473J	RS1/10S473J
R704	RS1/10S0R0J	RS1/10S0R0J	RS1/10S0R0J	RS1/10S473J	RS1/10S473J	RS1/10S473J
R768	RS1/10S102J	RS1/10S102J	****	****	****	****
R803	RS1/10S2R2J	RS1/10S2R2J	RS1/10S3R3J	RS1/10S3R3J	R\$1/10S3R3J	RS1/10S3R3J
R819	*****	*****	RS1/10S102J	*****	*****	RS1/10S102J
1013			1101/1001020		1	NS 1/103 1023
D.000			DC4/40C4701			2041440.004
R820	*****	*****	R\$1/10S473J	*****	*****	RS1/10S473J
R836	*****	*****	*****	RS1/10S102J	RS1/10S102J	RS1/10S102J
R849	RS1/10S102J	*****	00000	RS1/10S102J	RS1/10S102J	RS1/10S102J
R1008	RS 1/10S224J	RS1/10S224J	*****	RS1/10S224J	****	****
R1053	****	****	****	RS1/10S472J	RS1/10S472J	RS1/10S472J
C503	CKSQYB223K25	CKSQYB223K25	****	CKSQYB223K25	CKSQYB223K25	CKSQYB223K25
	CEA1R5M50LL	CEA1R5M50LL	****	CK3Q10223K25		
C510				1	*****	*****
C511	*****	*****	*****	CCH1165	*****	CCH1165
C512	*****	*****	*****	CKSQYB333K25	*****	CKSQYB103K25
C513	CGCYX473K25	CGCYX473K25	CGCYX473K25	CKCYB103K50	CGCYX473K25	CGCYX473K25
C516	CCSQCH561J50	CCSQCH561J50	****	CCSQCH561J50	CCSQCH561J50	CCSQCH561J50
C517	CCSQCH101J50	CCSQCH101J50	*****	CCSQCH101J50	CCSQCH101J50	CCSQCH101J50
C518	CKSQYB103K25	CKSQYB103K25		CKSQYB103K25	CKSQYB103K25	CKSQYB103K25
	CEAS100M16	CEAS100M16	****		CEAS100M16	
C519				CEAS100M16		CEAS100M16
C521	CCH1165	CCH1165	CCH1165	*****	CCH1165	*****
C522	CKSQYB103K25	CKSQYB103K25	CKSQYB103K25	*****	CKSQYB103K25	••••
C601	CKSQYB472K50	CKSQYB472K50	****	****	****	••••
C602	CEA1R5M50LL	CEA1R5M50LL	••••	*****	*****	••••
C603,625	CKSQYB103K25	CKSQYB103K25	*****	*****	••••	••••
	CEASR33M50	CEASR33M50	*****	*****	*****	••••
C604	CEMONOSIVIOU	CEMPUSSIAISO	1		1	
	01/00/10/15	01/001/19 19 19 19 19 19 19 19 19 19 19 19 19 1				
C605	CKSQYB473K25	CKSQYB473K25	*****	*****	•••••	••••
C606	CSZA100K10	CSZA100K10	*****	••••	****	****
C607	CKSQYB472K50	CKSQYB472K50	•••••	•••••	*****	****
C608,609	CEAS010M50	CEAS010M50	••••	••••	*****	****
C610	CEAS3R3M50	CEAS3R3M50	*****	*****	*****	*****
		22				
C611 620	CEAS100M16	CEAS100M16	*****	••••	*****	
C611,620				1		•••••
C612,622	CKSQYB223K25	CKSQYB223K25	*****	****	*****	*****
C613	CKSQYB103K25	CKSQYB103K25	*****	****	*****	*****
C614	CKSQYB102K50	CKSQYB102K50	*****	*****	••••	1
C615,618	CKSQYB103K25	CKSQYB103K25	••••	*****	****	*****
C616,617	CCSQCH150J50	CCSQCH150J50		••••		
C619,621	CKSQYB103K25	CKSQYB103K25	••••	••••	•••••	••••
					1	
C623	CKSQYB102K50	CKSQYB102K50	*****	*****	*****	*****
C624	CKSQYB473K25	CKSQYB473K25	*****	*****	*****	*****
C626	CKSQYB103K25	CKSQYB103K25	*****	*****	*****	****

	KEX-P8256ZT/EW	KEX-P8156ZT/EW	KEX-P8156ZT/UC	KEX-P8256ZT/AU	KEX-P8256ZT/ES	KEX-P8156ZT/ES
Circuit Symbol & No.	Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
C651,659	*****	****	CEAS100M16	CEAS100M16	*****	*****
C652	*****	****	CKSQYB393K25	CKSQYB393K25	CKSQYB393K25 CKSQYB562K50 CKSQYB222K50 CKSQYB822K50 CKSQYB152K50 CESQYB152K50 CESQYB152K50 CESQYB152K50 CESQYB152K50 CESQYB152K50	
C653	*****	*****	CKSQYB562K50	CKSQYB562K50		
C654	••••	*****	CKSQYB222K50	CKSQYB222K50	****	****
C655	*****	*****	CKSQYB822K50	CKSQYB822K50	****	•••••
C656	*****	*****	CKSQYB152K50	CKSQYB152K50	*****	****
C657	*****	*****	CEAS220M16	CEAS220M16	*****	*****
C658	*****	****	CCSQCH471J50	CCSQCH471J50	****	••••
C660	00000	*****	CKSQYB223K25	CKSQYB223K25	••••	*****
C661	49404	•••••	CKSQYB103K25	CKSQYB103K25	•••••	****
C662,667	****	*****	CKSQYB103K25	CKSQYB103K25		
C664,665	CKSQYB393K25	CKSQYB393K25	CKSQYB392K50	CKSQYB472K50	CKSQYB153K25	CKSQYB153K25
C666	CKSQYB273K25	CKSQYB273K25	CKSQYB333K25	*****	CKSQYB333K25	CKSQYB333K25
C675	CKSQYB103K25	CKSQYB103K25	*****	*****	••••	CKSQYB103K25
C676	*****	*****	*****	*****	*****	CKSQYB103K25
C680	CKSQYB153K25	CKSQYB153K25	CKSQYB183K25	****	CKSQYB183K25	CKSQYB183K25
C681	CKSQYB682K50	CKSQYB682K50	CKSQYB682K50	*****	CKSQYB682K50	CKSQYB682K50
C701	CEA220M16LL	CEA220M16LL	CEA220M16LL	****	****	····
C994	CKSQYB473K25	CKSQYB473K25	****	CKSQYB473K25	****	****

FM Unit

- IN OIL	·	7	Tuest contraction
	VEN DO 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4		KEX-P8156ZT/ES
	KEX-P8156ZT/EW		KEX-P8256ZT/ES
	KEX-P8256ZT/EW	KEX-P8156ZT/UC	KEX-P8256ZT/AU
Circuit Symbol & No.	Part No.	Part No.	Part No.
Q1,5	DTC124EU	****	DTC124EU
Q2	*****	*****	DTC124EU
Q71	2SC4116	****	••••
T51	CTE1111	CTE1111	CTC1071
T52	CTE1022	CTE1022	****
T71	CTE1043	•••••	****
L2	LAUR22M	****	*****
L71	LAU3R9K	****	****
CF52,53	CTF1057	CTF1057	CTF-182
VR1	CCP1183	*****	CCP1183
FE101	CWB1070	CWB1059	CWB1070
R3	****	*****	RS1/10S103J
R7	RS1/10S560J	RS1/10S0R0J	RS1/10S0R0J
R10.12	RS1/10S0R0J	*****	RS1/10S0R0J
R13	*****	RD1/4PS0R0JL	RD1/4PS0R0JL
1		1101/41 0011002	NO 1/41 SONOSE
R21,27		RS1/10S0R0J	RS1/10S0R0J
R25	RS1/10S243J	1101/1000100	NO 1/ 1000N00
R56	RS1/10S473J	RS1/10S473J	RS1/10S822J
R57	RS1/10S472J	RS1/10S473J	N3 1/ 1030223
R58	RS1/16S203J	RS1/16S103J	RS1/16S243J
1100	110 17 1002000	1101/1001000	NO 1/ 1002400
R60	RS1/10S153J	RS1/10S223J	RS1/10S823J
R72	RS1/10S123J	1101/1002233	1000200
R73	RS1/10S103J	****	****
R74	RS1/10S331J		*****
R75	RS1/10S102J		
11.73	1101/1001020		
R76	RS1/10S151J		
R102	RS1/16S223J	RS1/16S223J	RS1/16S153J
R151.152	RS1/10S392J	RS1/10S222J	RS1/10S222J
R154	RS1/10S332J	RS1/10S104J	
R180	RS1/10S335J		RS1/10S154J
1000	NO 1/ 1000000	RS1/10S105J	RS1/10S105J
C10	CCSQCH101K50		
C58	CCSQCH040C50	1	
1		CCSQCH040C50	CCSQCH300J50
C72,73,80 C74	CKSQYB103K25 CKSQYB473K16	*****	*****
1		CVCCVP000VT0	
C103	CKSQYB152K50	CKSQYB222K50	CKSQYB102K50
Cree	CKC/Docakas	01401400001444	
C110	CKSYB224K16	CKSYB684K16	CKSYB684K16
C151,152	CKSQYB153K25	CKSQYB393K25	CKSQYB273K25

	Δ	M	U	ln	it
•	~			21	

	KEX-P8156ZT/EW			
	KEX-P8256ZT/EW	KEX-P8156ZT/UC	KEX-P8256ZT/AU	KEX-P8256ZT/ES
Circuit Symbol & No.	Part No.	Part No.	Part No.	Part No.
Q203	••••	••••	*****	DTC124EU
Q232	DTC124EU	****	DTC124EU	DTC124EU
T203	CTB1040	CTB1040	CTB1084	CTB1040
L202	CTB1102	CTB1103	CTB1103	CTB1103
VR201	CCP1179	CCP1181	CCP1179	CCP1179
VR202	CCP1182	*****	CCP1182	CCP1182
CF201	CTF1262	CTF1325	CTF1262	CTF1262
R204	RS1/10S472J	RS1/10S472J	RS1/10S473J	RS1/10S472J
R206	****	*****	****	****
R207	RS1/10S103J	RS1/10S103J	*****	RS1/10S103J
R214	****	*****	••••	RS1/10S222J
R232	****	****	*****	RS1/16S102J
R239	RS1/10S152J	RS1/10S272J	RS1/10S152J	RS1/10S152J
C203	CSZA3R3M16	CEA150M10LS	CEA150M10LS	CEA150M10LS
C213	CCSQCH330J50	CCSQCH330J50	CCSQUJ221J50	CCSQCH330J50
C225	CKSQYB103K25	CKSQYB103K25	••••	CKSQYB103K25
C230	CKSQYB682K50	CKSQYB472K50	CKSQYB682K50	CKSQYB332K50
C242	CCSQCH030C50	*****	CCSQCH030C50	CCSQCH030C50

● Key Board Unit

g ito Dould on					
	KEX-P8156ZT/EW				
	KEX-P8256ZT/EW	KEX-P8156ZT/UC	KEX-P8256ZT/AU	KEX-P8256ZT/ES	KEX-P8156ZT/ES
Circuit Symbol & No.	Part No.	Part No.	Part No.	Part No.	Part No.
S901	CCS1106	CCS1106	••••	*****	*****
S926	****	****	CSD1019	CSD1019	CSD1019
IL904	CEL1343	CEL1343	CEL1343	*****	CEL1343
IL906	CEL1343	*****	CEL1343	CEL1343	*****

Deck Unit		
	KEX-P8256ZT/ES	
	KEX-P8256ZT/AU	
	KEX-P8156ZT/EW	KEX-P8156ZT/ES
	KEX-P8256ZT/EW	KEX-P8156ZT/UC
Circuit Symbol & No.	Part No.	Part No.
IC251	HA12163	HA12173-01
R301,302	*****	RS1/10S223J
R303,304	****	RS1/10S561J
R321	*****	RS1/10S223J
C303-308	•••••	CKSQYB222J50
C311.312	••••	CKSQYB104K16
C322	*****	CEV100M16

• LCD Unit

	KEX-P8256ZT/EW	
	KEX-P8256ZT/AU	KEX-P8156ZT/UC
	KEX-P8256ZT/ES	KEX-P8156ZT/ES
Circuit Symbol & No.	Part No.	Part No.
LCD	CAW1294	CAW1293

#E	====Circuit Symbol & No. Part Name=====			Part No.	==	===C	ircuit	Symi	bol &	No. Pa	art Na	me====	=	Part No.
116	ia 81.	mahar	: CWA1066		R	268								RN1/10SE224D
			: AM Stereo Unit(KEX-P8256ZT/AU)		R	269								
U	nit Na	ime	: AIVI Stereo UnitiNEX-F025021/AU											RS1/10S563J
					R	270								RS1/10S272J
М	ISCEL	LANEO	US		R	271								RS1/10S561J
					R	272	273							RS1/10S223J
IC	251			MC13020P										
D	251	252		1SS133	CA	PACI	TORS	3						
Т	251	252	Filter	CTF1244										
Х	251		Ceramic Resonator 3.6MHz	CSS1302	С	251	259	260	270					CKSQYB103K50
					С	252	253	255	272	273				CKSQYB332K50
R	SIST	ORS			C	254	266							CEA100M16LS2
• • •		0110		·	Č	256								CEA010M50LS2
R	251			RS1/10S0R0J	č	258								CEA2R2M50LS2
R	252	254		RS1/10S102J	•	200	200							CLAZITZIVIOULUZ
				RS1/10S223J	С	261	262							CQMA333J50
R	253	255					202							
R	256			RS1/10S823J	C	263								CEA470M16LS
R	259	260		RS1/10S333J	C	264								CEA4R7M35LS
					C	267								CFTNA474J50
R	261	262		RS1/10S0R0J	C	268								CFTNA474J50
R	263			RS1/10S431J										
R	264		-	RS1/10S472J	C	269								CCDSL510J50
R	265	266		RS1/10S152J	С	271								CEA330M16LS
R	267			RN1/10SE911D	C	274	275							CEAR33M50LS2

	==Ci	rcuit :	Symbo	1 & Ic	No. Part Name=====	Part No.	==	===C	ircuit	Symi	bol & No. Part Name=====	Part No.
Uni	it Nu	mber	: CW	/A107	7		R	215				RS1/16S473J
Uni	t Na	me	: MV	V/SW	Unit(KEX-P8156ZT/ES)		R	219	232			RS1/16S0R0J
								222				RS1/10S471J
	CEL	LANE	OHE					224				RS1/16S333J
Alle	SCEL	THIAE	003									
_						DAFOOAA	n	225				RS1/10S104J
-	201					PAF001A	_					
	202					CWV1041		235				RS1/16S104J
	201					2SK291			242			RS1/10S103J
2	202	210	220			2SC4116		239				RS1/10S152J
2	204					2SC2412K	R	243				RS1/10S152J
							R	244				RS1/10S242J
à	206					HN1C01FU						
	221	222				2SC3775	R	248				RS1/10S222J
	231					DTC124EU		249				RS1/10S225J
	232					DTC124EU	•••	240				110 1) 1002200
		204					-	DAC	TOD			
D	201	204				1SS226	CA	IFACI	TORS	•		
D	205					KV1580	С	201	216	225	234	CKSQYB103K
_	201				Inductor	CTF1287		203				CEA150M10LS
	202				Coil	CTB1103		205				CCSRCH120JE
	205				Inductor		_	208				CKSQYB223K
						CTF1299	_					
L	207				Inductor	LAU3R3K	С	210				CSZSR47M20
L	211				Inductor	LCTB100K2125	С	212	230			CKSQYB332K
L	212	213			Inductor	LCTB101K2125	C	213				CCSQCH080D
T	203				Coil	CTB1084	С	214				CCSQUJ181J5
Т	204				Coil	CTE1079	С	215				CKSQYB104K
T	205				Coil	CTE1038	С	217				CKSQYB473K
т	206				Coil	CTE1072	С	219	227			CKSQYB103K
	201				33.1	CTF1262			228	233		CKSQYB473K
	202				Filter	CTF1191		220	220	200		CCSRCH430J5
									040			
	201				Crystal Resonator 10.26MF				243			CCSQCH120J
VR	201				Semi-fixed 4.7kΩ(B)	CCP1179	С	224				CEA470M16LL
VR	202				Semi-fixed 15kΩ(B)	CCP1182	С	229				CEA470M16LI
							C	231				CCSRCH180J
RE	SIST	ORS					C	232	241	244		CKSRYB103K2
							Č	235				CEAR47M50LI
R	201					RS1/16S220J		236				CEA0R1M50LI
R	202					RS1/10S102J	C	200				OLFIOTI INTOCK
		246				RS1/10S473J	С	237				CEA4R7M35LI
R			216									
R	205		210			RS1/10S470J		238				CEA3R3M50LI
R	206	217				RS1/10S472J		239				CKSQYB223K
							С	242				CCSQCH030C
R	207			238		RS1/10S103J						
R	208	210	226	227	228 229	RS1/10S0R0J						
R	211	223				RS1/16S103J						
R	213					RS1/16S561J						



Service Manual

PIONEER'
The Art of Entertainment
TOYOTA

ORDER NO. CRZ1615

The chapter 1 of this Service Manual will not be reprinted. On your additional orders, we may supply only the chapter 2. For the chapter 1, please make copies and attach to the chapter 2 at your side if necessary.

© EXUS LS400 AUDIO SYSTEM HEAD UNIT

VEHICLE	DESTINATION	PRODUCED AFTER	TOYOTA PART No.	PIONEER MODEL No.
	U.S.A., CANADA		86120-50360	KEX-P8156ZT/UC
	EUROPE		86120-50390	KEX-P8156ZT/EW
LEXUS	UNITED KINGDOM	November 1994	86120-50380	KEX-P8256ZT/EW
LS400	AUSTRALIA		86120-50410	KEX-P8256ZT/AU
	HONG KONG		86120-50420	KEX-P8256ZT/ES
	MIDDLE EAST		86120-50400	KEX-P8156ZT/ES

CHAPTER 2 CONTENTS

1.	EXPLODED VIEW	2-
2.	BLOCK DIAGRAM	2-9
3.	OVER ALL SCHEMATIC CIRCUIT DIAGRAM	2-1
4.	CIRCUIT DIAGRAM AND PATTERN	
	4.1 CONTROL P.C.BOARD	
	(KEX-P8256ZT/EW,KEX-P8156ZT/EW)	2-14
	4.2 CONTROL P.C.BOARD(KEX-P8156ZT/UC).	2-19
	4.3 CONTROL P.C.BOARD(KEX-P8256ZT/AU).	2-24
	4.4 CONTROL P.C.BOARD(KEX-P8256ZT/ES).	2-29
	4.5 CONTROL P.C.BOARD(KEX-P8156ZT/ES).	2-34
	4.6 TUNER P.C.BOARD	
	(KEX-P8256ZT/EW,KEX-P8156ZT/EW)	2-39
	4.7 TUNER P.C.BOARD(KEX-P8156ZT/UC)	2-43
	4.8 TUNER P.C.BOARD(KEX-P8256ZT/AU)	2-47
	4.9 TUNER P.C.BOARD(KEX-P8256ZT/ES)	2-51
	4.10 TUNER P.C.BOARD(KEX-P8156ZT/ES)	2-58
	4.11 LCD UNIT	2-59
	A 12 KEV BOARD LINIT	2-63

4.13 AM NOISE CANCELLER UNIT2-69
4.14 FM UNIT
(KEX-P8256ZT/EW,KEX-P8156ZT/EW)2-71
4.15 FM UNIT(KEX-P8156ZT/UC)2-73
4.16 FM UNIT
(KEX-P8256ZT/AU,ES,KEX-P8156ZT/ES)2-76
4.17 AM UNIT
(KEX-P8256ZT/EW,KEX-P8156ZT/EW)2-78
4.18 AM UNIT(KEX-P8156ZT/UC)2-81
4.19 AM UNIT(KEX-P8256ZT/AU)2-83
4.20 AM UNIT(KEX-P8256ZT/ES)2-86
4.21 MW/SW UNIT(KEX-P8156ZT/ES)2-88
4.22 AM STEREO UNIT(KEX-P8256ZT/AU)2-91
4.23 CASSETTE MECHANISM MODULE
(KEX-P8156ZT/UC,ES)2-94
4.24 CASSETTE MECHANISM MODULE
(KEX-P8256ZT/EW,AU,ES,KEX-P8156ZT/EW)
2.07


1. EXPLODED VIEW

В


С


D

Grille Assy(KEX-P8256ZT/EW,AU,ES) (Parts List:Page 1-28)





Grille Assy(KEX-P8156ZT/EW,UC,ES) (Parts List:Page 1-29)







2. BLOCK DIAGRAM













4. CIRCUIT DIAGRAM AND PATTERN


4.1 CONTROL P.C.BOARD(KEX-P8256ZT/EW,KEX-P8156ZT/EW)




















2-23

F

5-55

5

7

8

9

. .

4.3 CONTROL P.C.BOARD(KEX-P8256ZT/AU)

Circuit Diagram

3


E

F

2-24


1


2




3

5










4.4 CONTROL P.C.BOARD(KEX-P8256ZT/ES)

Connection Diagram









В

С



F



4.6 TUNER P.C.BOARD(KEX-P8256ZT/EW,KEX-P8156ZT/EW)

Circuit Diagram

TUNER P.C.BOARD Symbol indicates a resistor.

No differentiation is made between chip resistors and discrete resistors. Decimal points for resistor ANT GADRF LOCH VCO GADVCO FUSE FUSE COMP FUB CONDIF FUB FUR FUR and capacitor fixed values are expressed as: 2.2→2R2 —II— Symbol indicates a capacitor. No differentiation is made between chip capacitors and discrete capacitors. MAIN UNIT Consists of TUNER P.C.BOARD CONTROL P.C.BOARD FM +5V REGULATOR 0661 WARES6H FM VCD AMP AM UNIT CWA1079 C507 4788P GND
CND
CND
CND
LOCL
LOCL
LOCH
LOCH
AMSL
AMSL
LW
AMSC
SEEX
AMSC
SE C609 1/50 C618_3R3/58 UT 4 1C602 SC14SU69F -13dBs (400Hz, 30%) 1 XOUT XOUT 23
2 2 76
4 KC 02.3
4 KC 02.3
5 FOLD TO 19
6 SEE W 10.1
7 FOLD TO 19
7 RDS CONTOROLLER **a** IC603 PDØ179B R699 228 C687 188/

Fig.17

CONTROL P.C.BOARD CN401

3

2-39

2-40

Q681 Q680 Q509 Q505 Q503 Q504 Q682 Q651 Q683 Q685 IC. Q Q508 Q510 IC501 Q512 Q511 1060210603 10601 Q688 Q689 0602 Q684 Q686 Q687 ADJ VR650 R699 1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16-000000000 000000 UN652 C687 L670 AM UNIT *000-•c⊃•R681 R657 Q685 MAIN ANTENNA AM NOISE CANCELLER UNIT C610 •**←**>•R687 R685 R600 00000 UN653 0682 R683 CN651 10601 R659 • - - - C664 10 6 1 Q689 R693 C684 -H-00000000 9-10-11-12-13-14-15-16-17 -E R627 000000000 UN651 R626 .__. •=>• R628 CN653 CN652 C615 • • FM UNIT 120 600 0 R625 •—• 20 R518 🛉 R624 •--i O 3 O 4 O R622 ----100 Q503 R513 R509 C503 C517 R528 Q508 C516 R523 R539 C524 R623 •──• 90 R621•□= 50 R508R620 ----6 O 7 O ₹619 •——• IC603 70 60 R630 R618 •□• 80 50 0687 南 R617 •□• 南 90 40 R616 •□• 100 R614 •—• • € R632 30 Q504 •**□**• R633 R615 •□• i O 20 R612 •-10 64 R634 R613 •□• R642 C618 C621 R639 R637 R610 •== C501 11111111111 •===• R502 •===• R503 • € R504 C523 7 . CONTROL P.C. BOARD CN401 Fig.18

2-41

1

2-42

1

4

5

6

8


D

2

.

4.7 TUNER P.C.BOARD(KEX-P8156ZT/UC)

Circuit Diagram



Symbol indicates a resistor.
No differentiation is made between chip resistors and discrete resistors.

-H- Symbol indicates a capacitor. No differentiation is made between chip capacitors and discrete capacitors.

Decimal points for resistor and capacitor fixed values, are expressed as: 2.2-2R2 0.022-R022

MAIN UNIT Consists of TUNER P.C.BOARD CONTROL P.C.BOARD

Fig.19

2

CONTROL P.C.BOARD CN401

3

2-44

Q683 Q685

Q686 Q687

8

Q684

Q680 Q681 Q513 Q509 Q682 IC, Q IC651 IC652 Q514 Q508 IC501 Q512 Q511 Q688 Q689

C672 # ĤR699 00000000000 11-12-13-14-15-16 000000 UN652 D652 C687 L670 • <u>- #</u> • ± c683 •==• R681 • R686 Q680 C681 D681 Q681 R684 R688 Q683 R689 Q685 MAIN ANTENNA AM NOISE CANCELLER UNIT 00000 UN653 CN651 R660 •€> • 1 • C665 SUB ANTENNA R659 •□• ••• C664 Q689 C684 0000000 8-9-10-11-12-13-14-15-16-17 000000000 UN651 CN653 CN652 EM UNIT 0000 120 R518 🐧 i O 100 IC651 90 9876543 50 80 70 70 60 Q688 80 90 100 110 120 5-4-3-2-中 Q687 -- C560 --南 - 0 4 0 011 •==• R502 •____ R503 • R504 • ← R505 CONTROL P.C. BOARD

2-45

*.

CN401

2-46

Fig.20

0

Circuit Diagram

TUNER P.C.BOARD FM UNIT CWE1345 EWIL CGHORF FUSION FEER CGHORF FUSION FEER CGHORF FUSION FEER FUSION FEER FUSION FUSIO 10651 KHA197 -26dBs (400Hz. 30%) LOOP FILTER CSIA ROT ST **≅**1≋ PLL CONTROL 25 083 12.1 (1994)
12.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (1994)
13.1 (AM STEREO UNI CWA1066 -2948 R699 228 C687 188/1

Symbol indicates a resistor.
No differentiation is made between chip resistors and discrete resistors.

-II- Symbol indicates a capacitor.

No differentiation is made between chip capacitors and discrete capacitors. Decimal points for resistor and capacitor fixed values are expressed as: 2.2-2R2 0.022-R022

MAIN UNIT Consists of TUNER P.C.BOARD CONTROL P.C.BOARD

Fig.21

CONTROL P.C.BOARD CN401

3

2-48

Q683 Q685

Q684

Q686 Q687

Q681 Q509 Q506 Q503 Q682 IC. Q IC651 IC652 Q510 Q508 IC501 Q507 Q688 Q689

C672 ## C671 R699 -1-2-3-4-5-6-7-8-9-10 11-12-13-14-15-161 000000 UN652 000000000 C687 L670 #C683 •----- R68E D681 Q6818684 R688 Q685 Q683,689 MAIN ANTENNA • ← R687 AM STEREO UNIT Q6820 R683 0000000 UN654 CN651 R660 •□• •• • C665 SUB ANTENNA R659 • • • • • € • C664 Q689 R693 0000000 8-9-13-11-12-13-14-15-16-17 000000000 UN651 CN653 CN652 FM UNIT 20 120 Q506 _{D501} to l 30 Q503 IC651 100 C517 R528 Q508 40 90 9876543 1 50 80 10652 60 70 R526 Q510R525 70 60 Q688 80 90 50 0687 域 100 . 10 C504 C505 R502 R503 •C→ R504 C523 4 4 • C R S O S CONTROL P.C. BOARD

CN401

D

8

Fig.22

4.9 TUNER P.C.BOARD(KEX-P8256ZT/ES)

Circuit Diagram

TUNER P.C.BOARD FM UNIT CWE1045 -26dBs (400Hz, 30X) AM UNIT CWA1075 ANTAM
GRO
GRO
LLOCL
LLOCH
SEEK
AMSL
AMSL
AMSR
AMB
LINSWHL
DET
IFCHT
IFCHT
STOUT U
IFGHO
PNS -13dBs (400Hz, 30%) AM NOISE CANCELLER UNIT CWA1085 PLL CONTROL ST (55) 11. (55 R699 228 | C687 100/ CONTROL P.C.BOARD CN401

Symbol indicates a resistor.
 No differentiation is made between chipresistors and discrete resistors.

→ → Symbol indicates a capacitor.

No differentiation is made between chip capacitors and discrete capacitors.

Decimal points for resistor and capacitor fixed values are expressed as: 2.2→2R2 0.022→R022

MAIN UNIT Consists of TUNER P.C.BOARD CONTROL P.C.BOARD

Fig.23


2

3

2-52

Connection Diagram

Q509 Q681 Q509 Q503 Q504 Q682 Q683 Q685 IC. Q Q510 Q508 IC501 Q512 Q511 Q688 Q689 Q684 Q686 Q687



3

- 3

4

5

}


KEX-P8256ZT,P8256ZT-91,P8156ZT,P8156ZT-91 4.10 TUNER P.C.BOARD(KEX-P8156ZT/ES) Circuit Diagram TUNER P.C.BOARD Symbol indicates a resistor.
No differentiation is made between chip resistors and discrete resistors. FM UNIT CWE1345 —IP— Symbol indicates a capacitor. No differentiation is made between chip capacitors and discrete capacitors. -26dBs (400Hz, 30%) Decimal points for resistor and capacitor fixed values are expressed as: 2.2→2R2 0.022→R022 MAIN UNIT Consists of TUNER P.C.BOARD CONTROL P.C.BOARD CSIA RED E TO STATE OF THE STAT MW/SW UNIT CWA1077 -13dBs (400Hz, 30%) 2 VECT | X0001 | X001 | 0581 0TA114EK R699 228 C687 1 TOWNIT. Fig.25 CONTROL, P.C.BOARD CN401 2-56 3

● Coranection Diagram

Q509 Q506 Q503 Q504 Q682 Q683 Q685 IC. Q Q508 Q510 IC501 Q501 Q688 Q689 1060210603 10601 Q507 Q684 Q686 Q687

Q680

Q681



6

4.11 LCD UNIT

Circuit Diagram




Fig.27

2-59

2

3

2-60

5

LCD CN907 IC901 IC902 55 60 8 C902 - 1 -[00000000000] cN903 CONTROL P.C.BOARD CN703 Fig.28

Circuit Diagram

KEY BOARD


IL916: CEL1375 LGND


KEY BOARD UNIT Consists of KEY BOARD VOLUME P.C.BOARD ENCODER P.C.BOARD

	P8156ZT/EW P8156ZT/EW	P8156ZT/UC	P8156ZT/ES	P8256ZT/AU	P8256ZT/ES	
S905	UKW	FM1/2-	FM1/2 FM		FM1/2	
\$909	LW/MW	.AM	AM/SW	AM	АМ	
S913	IT.	DELETED	DELETED	AM MONO	DELETED	
S917	NF	DELETED	DELETED	DELETED	DELETED	
IL904	CEL1343	CEL1343	CEL1343	CEL1343	DELETED	
1L906	CEL1343	DELETED	DELETED	CEL1343	CEL1343	
S926	DELETED	DELETED	CSD1019	CSD1019	CSD1019	
S901	CCS1106	CCS1106	DELETED	DELETED	DELETED	

EJECT UKW SCAN CD 5912 - - -LW/MW TRACK DOWN ΤI TAPE

1L983~915:CEL1343





ENCODER P.C.BOARD (KEX-P8256ZT/AU, ES. KEX-P8156ZT/ES)


Fig.29


D

CONTROL P.C.BOARD CN702 CONTROL P.C.BOARD CN701

KEX-P8156ZT/EW, UC)

Connection Diagram(KEX-P8256ZT/EW,AU,ES)





2-65


6


2-66

D

KEX-P8256ZT,P8256ZT-91,P8156ZT,P8156ZT-91

Connection Diagram(KEX-P8156ZT/EW,UC,ES)






2-67 1 2 3 4 5 6

4.13 AM NOISE CANCELLER UNIT

Cor₃nection Diagram

Circuit Diagram






Fig.33

D-RS

2-7


4.14 FM UNIT(KEX-P8256ZT/EW,KEX-P8156ZT/EW)

Circuit Diagram FM FRONT END CWB1070 ANT GND LOC.L LOC.H 00 A 40 AFC OUT 2171 25C4116 R172 25C4116 R54 882K PA4021A FM IF AMP/ MPX DECODER Q5 DTC124EU **20≥20**€ CF53 OTC124EU **∡**0≋ C123 25C4116 CN2 SL 1
SD 2
SEEK 3
OUT 4
+B 5
GND 6
ST 7
Rch 8
ENV 10 ANT 1
GND 2
LOCH1 3
LOCL1 4
VCO 5
GNDVCC 1 FM UNIT TUNER P.C.BOARD UN651 TUNER P.C.BOARD UN651

Fig.34

Connection Diagram


IC. Q	Q1	Q5	Q3	Q71		Q171		
ADJ	VR1			771	VR51 T51	VR103	VR102 VR101	




4.15 FM UNIT(KEX-P8156ZT/UC)


Connection Diagram

Q51 Q123 Q171 IC51 ADJ VR51 T51 T52 VR103 VR102 VR101






KEX-P825 6ZT,P8256ZT-91,P8156ZT,P8156ZT-91



● Connection Diagram


 IC, Q
 Q2
 Q1
 Q5
 Q3
 Q171
 IC51

 ADJ
 VR1
 VR51
 T51
 VR103
 VR102
 VR101



4.17 AM UNIT(KEX-P8256ZT/EW,KEX-P8156ZT/EW)

Connection Diagram



KEX-P8256ZT,P8256ZT-91,P8156ZT,P8156ZT-91 Circuit Diagram В 21 AM TUNER [C201 PAF001A (IF OUT)
TV
IF GND
PNS OUT AM UNIT TUNER P.C.BOARD UN652 Fig.41

3

4.18 AM UNIT(KEX-P8156ZT/UC)

Circuit Diagram


AM TUNER [C201 PAF001A AM UNIT TUNER P.C.BOARD UN652 Fig.42

2-82

■ Cornection Diagram

4.19 AM UNIT(KEX-P8256ZT/AU)

Connection Diagram




2-83

3


.

7





4.20 AM UNIT(KEX-P8256ZT/ES)

● Circuit Diagram



2-87






4.21 MW/SW UNIT(KEX-P8156ZT/ES)

Connection Diagram

IC. Q Q202		IC201 Q222 Q221	Q210	Q220	IC202	Q231 Q232	Q204 Q201	
	T203					VR201		



4.22 AM STEREO UNIT(KEX-P8256ZT/AU)

• Circuit Diagram

AM STEREO UNIT C251 R01 C273 3300P C252 3300P C272 3300P R251 0R0

LEVEL DET C254 10/16

RROR AMP C253 3300P AM MONO O R270 2R7K OSC F.B OSC IN C270 R01. X251 2 0 CSS1302 C269 51P 16 ST X251-3.6MHz VCC IF IN 3300P MC13020P 3 0 6 T251 C256 R252 1K PILOT DET IN C259 R01 R253 22K R254 1K C260 R01 C274 R33/50 GND 1/50 R268 220 K269 56K R272 22K 10 C257 C267 PILOT FILTER AM+B 5 0 1.3 C275 R33/50 R47 IC257 # # # # # # # R255 22K R273 22K R262 70 R256 1R5K 10/16 FORCED MONO R256 82K R259 33K CO-CH IN 9 R263 430 C265 AGC' d Q LOCK 2R2/50 R265 1R5K C 258 2R2/50 10 R250 33K *17 **4**25 TUNER P.C. BOARD UN654 C264 4R7/35 D251.252 1SS133 C263 47/16

Fig.50

D

KEX-P8256ZT,P8256ZT-91,P8156ZT,P8156ZT-9

Connection Diagram





Fig.51

KEX-P8256ZT,P8256ZT-91,P8156ZT,P8156ZT-91

4.23 CASSETTE MECHANISM MODULE(KEX-P8156ZT/UC,ES)

Connection Diagram




DECK UNIT CN253 CN1 10 EGN1 10 R2 Fig.52

2-94


2

2



4.24 CASSETTE MECHANISM MODULE (KEX-P8256ZT/EW,AU,ES,KEX-P8156ZT/EW)


Circuit Diagram




KEX-P8256ZT,P8256ZT-91,P8156ZT,P8156ZT-9

Connection Diagram

DECK UNIT





P.C.BOARD UNIT



2-99


● LCD(CAW1294) (KEX-P8256ZT/EW,AU,ES)






SEGMENT

● LCD(CAW1293) (KEX-P8156ZT/EW,UC,ES)





SEGMENT

Fig.57